
CDMXPOWERX5W1xS

CDMXPOWERX5W1xxS - 1XDMXPOWER cords - 5-pin XLR / 16A IP65 plugs - SEETRONIC

DESCRIPTION

The CDMXPOWERX5W1xxS cords are hybrid cables combining a 3G1.5 mm² power connection and a 110 Ω link. Equipped with 5-pin XLR connectors and 2-pole + earth Seetronic power plugs, they simplify deployment and reduce installation time. They feature two translucent sleeves for customization and a Velcro strap for easy transport and storage. Available in multiple lengths.



ADVANTAGES

- S2CEB Cable – ref. 1XDMXPOWER
- HO5VVF Power Cable 3 conductors - 1.50 mm² section
- XLR 5-pin Connectors – Seetronic
- 2-pole + earth Power Connectors - 250V - Lockable - IP65 - Seetronic
- Ideal for Live applications

Updated: 28/08/2026

This document is confidential and is the property of ADALTRA. ADALTRA holds the copyright, and the document must not be copied or modified in any form, in whole or in part, without the prior written permission of ADALTRA. The specifications contained in this document are non-contractual and may be subject to change without prior notice.

CONSTRUCTION & TECHNICAL PERFORMANCE

Cable reference	1XDMXPOWER
Number of translucent sleeves	2
End 2 - Number of connectors 2	1
Outer Sheath Material	PVC
End 1 - Connector 1 Reference	SCMM5 - XLR 5-pin male - Nickel body
End 1 - Number of Connector 1	1
End 2 - Connector 1 Reference	SCMF5 - XLR 5-pin female - Nickel body
End 2 - Number of Connector 1	1
Outer Diameter (mm)	15.50
Color	Black
End 1 - Connector 2 reference	SAC3MX - Male plug 16A - IP65 - Black plastic body
Whip length end 1	0.20M
End 2 Whip length	0.20M
End 2 - Connector 2 reference	SAC3FX - Female connector 16A - IP65 - Black plastic body
End 1 - Number of connectors 2	1

Updated: 28/08/2026

This document is confidential and is the property of ADALTRA. ADALTRA holds the copyright, and the document must not be copied or modified in any form, in whole or in part, without the prior written permission of ADALTRA. The specifications contained in this document are non-contractual and may be subject to change without prior notice.

ORDER INFORMATION

REFERENCE	DESIGNATION	COLOR	DIMENSIONS N X MM²	Ø SHEATH NOM (MM)	PACKAGING
CDMXPOW ERX5W105S	DMX cord 1 x dmxpower with pc16m + nc3mxx and pc16f + nc3fxx - 5 m	Black	0.50 m	15.5	Unit
CDMXPOW ERX5W13S	DMX cord 1 x dmxpower with pc16m + nc3mxx and pc16f + nc3fxx - 5 m	Black	3.00 m	15.5	Unit
CDMXPOW ERX5W15S	DMX cord 1 x dmxpower with pc16m + nc3mxx and pc16f + nc3fxx - 5 m	Black	5.00 m	15.5	Unit
CDMXPOW ERX5W110S	DMX cord 1 x dmxpower with pc16m + nc3mxx and pc16f + nc3fxx - 5 m	Black	10.00 m	15.5	Unit

Updated: 28/08/2026

This document is confidential and is the property of ADALTRA. ADALTRA holds the copyright, and the document must not be copied or modified in any form, in whole or in part, without the prior written permission of ADALTRA. The specifications contained in this document are non-contractual and may be subject to change without prior notice.