

## CE – Declaration of Conformity

Document: CE-UKCA230503B\_Zip Pro Mini 3 Circuits  
 Product Inspection: PI230502A  
 Risk Assessment: RA230501B

We, **SG Armaturen AS**  
**Skytterheia 25**  
**N-4790 Lillesand - Norway**

declare under sole responsibility that the product

### Luminaire

Type

**Zip Pro Mini 3 Circuits**

Name(s)

To which this declaration relates is in conformity with the following EC-directive(s):

<i>Directive 2014 / 30 / EU</i>  Electromagnetic compatibility (EMC)	<i>Directive 2014 / 35 / EU</i>  Low Voltage directive (LVD)	<i>Directive 2009 / 125 / EF</i>  (Regs 244/2009, 245/2009, 347/2010)*  Ecodesign requirements (ECO) <small>* As applicable and including amendments</small>
--	--	---

*RoHS 2011 / 65 / EU + RoHS III / EU 2015/863*

The conformity of the product with the provisions of the directives is stated by the compliance with the following standards:

<b>EN 60598-1:2021+A11:2022</b>	(Luminaires - General requirements)
<b>EN 60598-2-1:2021</b>	(Luminaires – General purpose)
<b>EN 60570:2003</b>	(Luminaires - Electrical supply track systems)
<b>EN 62471:2008</b>	(Luminaires – Photobiological safety of lamps and lamp systems)
<b>EN 62493:2015</b>	(EMF – Lighting equipment related to human exposure)
<b>EN 55015:2019+A11:2020</b>	(EMC - Radio disturbance)
<b>EN 61000-3-2:2019</b>	(EMC - Harmonics)
<b>EN 61000-3-3:2013+A1:2019</b>	(EMC – Voltage change, fluctuation & flicker)
<b>EN 61547:2009</b>	(EMC - Immunity)


CE declaration date: 2023

Statement of Conformity

issued by SG Armaturen AS

**Manufacturer**  
Lillesand, 03/05-2023  
 Place and date of issue

Martin Etrup  
Approval Engineer  
 Name of authorized person

  
Signature of authorized person

## UKCA – Declaration of Conformity

Document: CE-UKCA230503B\_Zip Pro Mini 3 Circuits  
 Product Inspection: PI230502A  
 Risk Assessment: RA230501B

We, **SG Armaturen AS**  
**Skytterheia 25**  
**N-4790 Lillesand - Norway**

declare under sole responsibility that the product

**Luminaire**

Type

**Zip Pro Mini 3 Circuits**

Name(s)

To which this declaration relates is in conformity with the following UK-regulations:

<i>UK SI 2016 No. 1091</i>	<i>UK SI 2016 No. 1101</i>	<i>UK SI 2010 No. 2617</i>	<i>UK SI 2012 No. 3032</i>
The Electromagnetic Compatibility Regulations 2010	The Electrical Equipment (Safety) Regulations 2016	The Ecodesign for Energy-Related Products Regulations 2010 Equipment (Safety) Regulations 2016	The Restriction of the Use of Certain Hazardous Substances in Electrical Equipment Regulations 2012

The conformity of the product with the provisions of the directives is stated by the compliance with the following standards:

<b>EN 60598-1:2021+A11:2022</b>	(Luminaires - General requirements)
<b>EN 60598-2-1:2021</b>	(Luminaires – General purpose)
<b>EN 60570:2003</b>	(Luminaires - Electrical supply track systems)
<b>EN 62471:2008</b>	(Luminaires – Photobiological safety of lamps and lamp systems)
<b>EN 62493:2015</b>	(EMF – Lighting equipment related to human exposure)
<b>EN 55015:2019+A11:2020</b>	(EMC - Radio disturbance)
<b>EN 61000-3-2:2019</b>	(EMC - Harmonics)
<b>EN 61000-3-3:2013+A1:2019</b>	(EMC – Voltage change, fluctuation & flicker)
<b>EN 61547:2009</b>	(EMC - Immunity)
<b>UK SI 2021 No. 1095</b>	(Luminaires – The Ecodesign for Energy-Related products and Energy Information)


UKCA declaration date: 2023

Statement of Conformity

issued by SG Armaturen AS

**Manufacturer**  
Lillesand, 03/05-2023  
 Place and date of issue

Martin Etrup  
Approval Engineer  
 Name of authorized person

  
Signature of authorized person



Declaration of Conformity statements/valid for the following products:

<b>Product ID Number</b>	<b>Product Description</b>	<b>Article type</b>	<b>Article group</b>
7021980034642	Zip Pro Mini 3-Circuit White 1280lm	3000K Ra>90 Trailing edge dimming	701985
7021980034673	Zip Pro Mini 3-Circuit Black 1280lm	3000K Ra>90 Trailing edge dimming	701985
7021980034659	Zip Pro Mini 3-Circuit White 1410lm	4000K Ra>90 Trailing edge dimming	701985
7021980034680	Zip Pro Mini 3-Circuit Black 1410lm	4000K Ra>90 Trailing edge dimming	701985