

CE – Declaration of Conformity

Document: CE-UKCA221214B_Circulus Maxi
 Product Inspection: PI221213A
 Risk Assessment: RA221212A

We, **SG Armaturen AS**
Skytterheia 25
N-4790 Lillesand - Norway

declare under sole responsibility that the product

Luminaire

Type

Circulus Maxi

Name(s)

To which this declaration relates is in conformity with the following EC-directive(s):

<i>Directive 2014 / 30 / EU</i> Electromagnetic compatibility (EMC)	<i>Directive 2014 / 35 / EU</i> Low Voltage directive (LVD)	<i>Directive 2009 / 125 / EF</i> (Regs 244/2009, 245/2009, 347/2010)* Ecodesign requirements (ECO) <small>* As applicable and including amendments</small>
--	--	---

RoHS 2011 / 65 / EU + RoHS III / EU 2015/863

The conformity of the product with the provisions of the directives is stated by the compliance with the following standards:

EN 60598-1:2021+A11:2022	(Luminaires - General requirements)
EN 60598-2-1:2021	(Luminaires – General purpose)
EN 60598-2-22:2022	(Luminaires for emergency lighting)
EN 62471:2008	(Luminaires – Photobiological safety of lamps and lamp systems)
EN 62493:2015	(EMF – Lighting equipment related to human exposure)
EN 55015:2019+A11:2020	(EMC - Radio disturbance)
EN 61000-3-2:2019	(EMC - Harmonics)
EN 61000-3-3:2013+A1:2019	(EMC – Voltage change, fluctuation & flicker)
EN 61547:2009	(EMC - Immunity)


CE declaration date: 2022

Statement of Conformity

issued by SG Armaturen AS

Manufacturer
Lillesand, 14/12-2022
 Place and date of issue

Martin Etrup
Approval Engineer
 Name of authorized person


Signature of authorized person

UKCA – Declaration of Conformity

Document: CE-UKCA221214B_Circulus Maxi
 Product Inspection: PI221213A
 Risk Assessment: RA221212A

We, **SG Armaturen AS**
Skytterheia 25
N-4790 Lillesand - Norway

declare under sole responsibility that the product

Luminaire

Type

Circulus Maxi

Name(s)

To which this declaration relates is in conformity with the following UK-regulations:

<i>UK SI 2016 No. 1091</i>	<i>UK SI 2016 No. 1101</i>	<i>UK SI 2010 No. 2617</i>	<i>UK SI 2012 No. 3032</i>
The Electromagnetic Compatibility Regulations 2010	The Electrical Equipment (Safety) Regulations 2016	The Ecodesign for Energy-Related Products Regulations 2010 Equipment (Safety) Regulations 2016	The Restriction of the Use of Certain Hazardous Substances in Electrical Equipment Regulations 2012

The conformity of the product with the provisions of the directives is stated by the compliance with the following standards:

EN 60598-1:2021+A11:2022	(Luminaires - General requirements)
EN 60598-2-1:2021	(Luminaires – General purpose)
EN 60598-2-22:2022	(Luminaires for emergency lighting)
EN 62471:2008	(Luminaires – Photobiological safety of lamps and lamp systems)
EN 62493:2015	(EMF – Lighting equipment related to human exposure)
EN 55015:2019+A11:2020	(EMC - Radio disturbance)
EN 61000-3-2:2019	(EMC - Harmonics)
EN 61000-3-3:2013+A1:2019	(EMC – Voltage change, fluctuation & flicker)
EN 61547:2009	(EMC - Immunity)
UK SI 2021 No. 1095	(Luminaires – The Ecodesign for Energy-Related products and Energy Information)

UKCA declaration date: 2022

Statement of Conformity

issued by SG Armaturen AS


Manufacturer

Lillesand, 14/12-2022
Place and date of issue

Martin Etrup

Approval Engineer

Name of authorized person



Signature of authorized person

Declaration of Conformity statements/valid for the following products:

Product ID Number	Product Description	Article type	Article group
7021982140204	Circulus Maxi Black	3210lm 4000K Ra>80 Emergency 3H	700405
7021982140099	Circulus Maxi White	3120lm 3000K Ra>80 Trailing edge dimming	700405
7021982140105	Circulus Maxi Black	3050lm 3000K Ra>80 Trailing edge dimming	700405
7021982140112	Circulus Maxi White	3480lm 4000K Ra>80 Trailing edge dimming	700405
7021982140150	Circulus Maxi White	3480lm 4000K Ra>80 DALI / Push Dim	700405
7021982140143	Circulus Maxi Black	3050lm 3000K Ra>80 DALI / Push Dim	700405
7021982140136	Circulus Maxi White	3120lm 3000K Ra>80 DALI / Push Dim	700405
7021982140167	Circulus Maxi Black	3210lm 4000K Ra>80 DALI / Push Dim	700405
7021982140129	Circulus Maxi Black	3210lm 4000K Ra>80 Trailing edge dimming	700405
7021982140198	Circulus Maxi White	3480lm 4000K Ra>80 Emergency 3H	700405
7021982140174	Circulus Maxi White	3120lm 3000K Ra>80 Emergency 3H	700405
7021982140181	Circulus Maxi Black	3050lm 3000K Ra>80 Emergency 3H	700405