

CE – Declaration of Conformity

Document: CE-UKCA240612A_Namsen
 Product Inspection: PI240610A
 Risk Assessment: RA240607A

We, **SG Armaturen AS**
Skytterheia 25
N-4790 Lillesand - Norway

declare under sole responsibility that the product

Luminaire

Type

Namsen

Name(s)

To which this declaration relates is in conformity with the following EC-directive(s):

<i>Directive 2014 / 30 / EU</i> Electromagnetic compatibility (EMC)	<i>Directive 2014 / 35 / EU</i> Low Voltage directive (LVD)	<i>Directive 2009 / 125 / EF</i> (Regs 244/2009, 245/2009, 347/2010)* Ecodesign requirements (ECO) <small>* As applicable and including amendments</small>
--	--	---

RoHS 2011 / 65 / EU + RoHS III / EU 2015/863

The conformity of the product with the provisions of the directives is stated by the compliance with the following standards:

- | | |
|----------------------------------|---|
| EN 60598-1:2021+A11:2022 | (Luminaires - General requirements) |
| EN 60598-2-1:2021 | (Luminaires – General purpose) |
| EN 62471:2008 | (Luminaires – Photobiological safety of lamps and lamp systems) |
| EN 62493:2015 | (EMF – Lighting equipment related to human exposure) |
| EN 55015:2019+A11:2020 | (EMC - Radio disturbance) |
| EN 61000-3-2:2019 | (EMC - Harmonics) |
| EN 61000-3-3:2013+A1:2019 | (EMC – Voltage change, fluctuation & flicker) |
| EN 61547:2009 | (EMC - Immunity) |


CE declaration date: 2024

Statement of Conformity

issued by SG Armaturen AS

Manufacturer
Lillesand, 12/06-2024
 Place and date of issue

Martin Ettrup
Approval Engineer
 Name of authorized person


Signature of authorized person



UKCA – Declaration of Conformity

Document: CE-UKCA240612A_Namsen
Product Inspection: PI240610A
Risk Assessment: RA240607A

We, **SG Armaturen AS**
Skytterheia 25
N-4790 Lillesand - Norway

declare under sole responsibility that the product

Luminaire

Type

Namsen

Name(s)

To which this declaration relates is in conformity with the following UK-regulations:

<i>UK SI 2016 No. 1091</i>	<i>UK SI 2016 No. 1101</i>	<i>UK SI 2010 No. 2617</i>	<i>UK SI 2012 No. 3032</i>
The Electromagnetic Compatibility Regulations 2010	The Electrical Equipment (Safety) Regulations 2016	The Ecodesign for Energy-Related Products Regulations 2010 Equipment (Safety) Regulations 2016	The Restriction of the Use of Certain Hazardous Substances in Electrical Equipment Regulations 2012

The conformity of the product with the provisions of the directives is stated by the compliance with the following standards:

- EN 60598-1:2021+A11:2022** (Luminaires - General requirements)
- EN 60598-2-1:2021** (Luminaires – General purpose)
- EN 62471:2008** (Luminaires – Photobiological safety of lamps and lamp systems)
- EN 62493:2015** (EMF – Lighting equipment related to human exposure)
- EN 55015:2019+A11:2020** (EMC - Radio disturbance)
- EN 61000-3-2:2019** (EMC - Harmonics)
- EN 61000-3-3:2013+A1:2019** (EMC – Voltage change, fluctuation & flicker)
- EN 61547:2009** (EMC - Immunity)
- UK SI 2021 No. 1095** (Luminaires – The Ecodesign for Energy-Related products and Energy Information)

UKCA declaration date: 2024

Statement of Conformity

issued by SG Armaturen AS

Manufacturer
Lillesand, 12/06-2024
Place and date of issue

Martin Ettrup
Approval Engineer
Name of authorized person

Signature of authorized person



Declaration of Conformity statements/valid for the following products:

Product ID Number	Product Description	Article type	Article group
7021981120221	Namsen 600 White w/ 2 x outlet 890lm	2700K Ra>80	702250
7021981120238	Namsen 600 White w/ 2 x outlet 920lm	3000K Ra>80	702250
7021981120269	Namsen 1200 White 2110lm	3000K Ra>80	702250
7021981120252	Namsen 1200 White w/ 2 x outlet 2110lm	3000K Ra>80	702250
7021981120245	Namsen 1200 White w/ 2 x outlet 2040lm	2700K Ra>80	702250
7021981120313	Namsen 600 White w/ 2 x outlet 920lm	3000K Ra>80 DALI	702250
7021981120276	Namsen 900 White w/ 2 x outlet 1390lm	2700K Ra>80	702250
7021981120320	Namsen 1200 White w/ 2 x outlet 2110lm	3000K Ra>80 DALI	702250
7021981120290	Namsen 900 White w/ 2 x outlet 1440lm	3000K Ra>80	702250