

CE – Declaration of Conformity

Document: CE-UKCA240115A_Sense Basic

Product Inspection: PI240112A Risk Assessment: RA230822A

We, SG Armaturen AS

Skytterheia 25

N-4790 Lillesand - Norway

declare under sole responsibility that the product

Luminaire
Туре
Sense Basic
Name(s)

To which this declaration relates is in conformity with the following EC-directive(s):

Directive 2014 / 30 / EU	Directive 2014 / 35 / EU	Directive 2009 / 125 / EF	
		(Regs 244/2009, 245/2009, 347/2010)*	
Electromagnetic compatibility (EMC)	Low Voltage directive (LVD)	Ecodesign requirements (ECO) *As applicable and including amendments	

RoHS 2011 / 65 / EU + RoHS III / EU 2015/863

The conformity of the product with the provisions of the directives is stated by the compliance with the following standards:

EN 60598-1:2021+A11:2022 (Luminaires - General requirements)

EN 60598-2-2:2012 (Luminaires - Recessed)

EN 62471:2008 (Luminaires – Photobiological safety of lamps and lamp systems)

EN 62493:2015 (EMF – Lighting equipment related to human exposure)

EN 55015:2019+A11:2020 (EMC - Radio disturbance)

EN 61000-3-2:2019 (EMC - Harmonics)

EN 61000-3-3:2013+A1:2019 (EMC – Voltage change, fluctuation & flicker)

EN 61547:2009 (EMC - Immunity)

CE declaration date: 2024

Statement of Conformity issued by SG Armaturen AS

ManufacturerMartin EttrupLillesand, 15/01-2024Approval EngineerPlace and date of issueName of authorized person



UKCA – Declaration of Conformity

Document: CE-UKCA240115A Sense Basic

Product Inspection: PI240112A Risk Assessment: RA230822A

We, SG Armaturen AS

Skytterheia 25

N-4790 Lillesand - Norway

declare under sole responsibility that the product

Luminaire Type

Sense Basic

Name(s)

To which this declaration relates is in conformity with the following UK-regulations:

UK SI 2016 No. 1091	UK SI 2016 No. 1101	UK SI 2010 No. 2617	UK SI 2012 No. 3032
The Electromagnetic Compatibility Regulations 2010	The Electrical Equipment (Safety) Regulations 2016	The Ecodesign for Energy-Related Products Regulations 2010 Equipment (Safety) Regulations 2016	The Restriction of the Use of Certain Hazardous Substances in Electrical Equipment Regulations 2012

The conformity of the product with the provisions of the directives is stated by the compliance with the following standards:

EN 60598-1:2021+A11:2022 (Luminaires - General requirements)

EN 60598-2-2:2012 (Luminaires - Recessed)

EN 62471:2008 (Luminaires – Photobiological safety of lamps and lamp systems)

EN 62493:2015 (EMF – Lighting equipment related to human exposure)

EN 55015:2019+A11:2020 (EMC - Radio disturbance)

EN 61000-3-2:2019 (EMC - Harmonics)

EN 61000-3-3:2013+A1:2019 (EMC – Voltage change, fluctuation & flicker)

EN 61547:2009 (EMC - Immunity)

UK SI 2021 No. 1095 (Luminaires – The Ecodesign for Energy-Related products

and Energy Information)

UKCA declaration date: 2024

Statement of Conformity issued by SG Armaturen AS

ManufacturerMartin EttrupLillesand, 15/01-2024Approval EngineerPlace and date of issueName of authorized person

Signature of authorized person

Declaration of Conformity statements/valid for the following products:

Product ID Number	Product Description	Article type	Article group
7021982121449	Sense Basic 625x625 White Incl driver 4220lm	4000K Ra>80 DALI / Push Dim	701565
7021982121852	Sense Basic 600x600 White Incl driver 3680lm	3000K Ra>80 On/Off	701565
7021982121869	Sense Basic 600x600 White Incl driver 3680lm	3000K Ra>80 DALI / Push Dim	701565
7021982121883	Sense Basic 600x600 White Incl driver 3780lm	4000K Ra>80 DALI / Push Dim	701565
7021982121425	Sense Basic 625x625 White Incl driver 3930lm	3000K Ra>80 DALI / Push Dim	701565
7021982121876	Sense Basic 600x600 White Incl driver 3780lm	4000K Ra>80 On/Off	701565
7021982121432	Sense Basic 625x625 White Incl driver 4220lm	4000K Ra>80 On/Off	701565
7021982121418	Sense Basic 625x625 White Incl driver 3930lm	3000K Ra>80 On/Off	701565
7021982121463	Sense Basic 300x600 White 2180lm	3000K Ra>80 On/Off	701589
7021982121470	Sense Basic 300x600 White 2220lm	4000K Ra>80 On/Off	701589
7021982121494	Sense Basic 300x600 White 2180lm	3000K Ra>80 DALI	701589