

Document number:		per:	2020 / 9C1-4011618-EN-0	00
Manufacturer or representative:			LEDVANCE GmbH	
Address:			Parkring 29-33 85748 Garching Germany	
Brand n	ame or t	rade mark:	LEDVANCE	
Product	type:		Luminaire	
Product	designa	tion:	FL PFM	
			See attached list	
The design	gnated pr	roduct(s) is (are) in o	conformity with the relevant Ur	nion harmonisation legislation:
	2014/35 and ame	<b>/EU</b> endments	harmonisation of the laws of th	ament and of the Council of 26 February 2014 on the ne Member States relating to the making available on nent designed for use within certain voltage limits
$\boxtimes$	2014/30 and ame	<b>/EU</b> endments		nament and of the Council of 26 February 2014 on the me Member States relating to electromagnetic
	2009/12 and ame	5/EC endments, incl.		ament and of the Council of 21 October 2009 ne setting of ecodesign requirements for energy-
	2019/20	20, Art. 7	ecodesign requirements for lig	ation (EU) 2019/2020 of 1 October 2019 laying down ht sources and separate control gears pursuant to uropean Parliament and of the Council
	244/200 and ame	9 endments		mplementing Directive 2009/125/EC of the European with regard to ecodesign requirements for non-
	<b>245/200</b> and ame	9 endments	Parliament and of the Council	mplementing Directive 2009/125/EC of the European with regard to ecodesign requirements for fluorescent st, for high intensity discharge lamps, and for ballasts such lamps
	1194/2012 and amendments		Directive 2009/125/EC of the E	No 1194/2012 of 12 December 2012 implementing uropean Parliament and of the Council with regard to rectional lamps, light emitting diode lamps and related
	2011/65/EU and amendments			iament and of the Council of 8 June 2011 on the n hazardous substances in electrical and electronic
	2014/53 and ame	<b>EU</b> endments	harmonisation of the laws of th	ament and of the Council of 16 April 2014 on the ne Member States relating to the making available on and repealing Directive 1999/5/EC
Last two	digits o	f the year in which	n the CE marking was affixe	ed: 20
Place ar	nd date o	of signatures: May	29,2020	
Signatures: Quality Manage				(CU) 对对梦.
		Quality Manager	nent	Quality Assurance
Names:		Scheyer Yannick		Shufen Chen
Custome	r service	contact: LEDVANC	F GmhH Steinerne Furt 62 8	6167 Augsburg Deutschland

Customer service contact: LEDVANCE GmbH, Steinerne Furt 62, 86167 Augsburg, Deutschland

This declaration of conformity is issued under the sole responsibility of the manufacturer or representative. It certifies compliance with the indicated Directives, but implies no warranty of properties

# **EU Declaration of Conformity Annex**

Document number: 2020 / 9C1-4011618-EN-00

The conformity of the designated product(s) with the provisions of the European **Low Voltage Directive 2014/35/EU** is given by the compliance with the following European Standard(s) or other specifications. If not elsewhere/otherwise indicated the edition/amendment as referenced below applies.

<b>EN 60155:</b> 1995 + A1:1995 + A2:2007	Glow-starters for fluorescent lamps
<b>EN 60432-1:</b> 2000 + A1:2005 + A2:2012	Incandescent lamps — Safety specifications — Part 1: Tungsten filament lamps for domestic and similar general lighting purposes
<b>EN 60432-2:</b> 2000 + A1:2005 + A2:2012	Incandescent lamps — Safety specifications — Part 2: Tungsten halogen lamps for domestic and similar general lighting purposes
<b>EN 60432-3:</b> 2013	Incandescent lamps — Safety specifications — Part 3: Tungsten halogen lamps (non-vehicle)
<b>EN 60598-1:</b> 2015 + A1:2018	Luminaires — Part 1: General requirements and tests
<b>EN 60598-2-1:</b> 1989	Luminaires — Part 2-1: Particular requirements — Fixed general purpose luminaires
<b>EN 60598-2-2:</b> 2012	Luminaires — Part 2-2: Particular requirements — Recessed luminaires
<b>EN 60598-2-3:</b> 2003 + A1:2011	$\label{lem:Luminaires} \mbox{$-$ Part 2-3: Particular requirements $-$ Luminaires for road and street lighting}$
<b>EN 60598-2-4</b> : 2018	Luminaires — Part 2-4: Particular requirements — Portable general purpose luminaires
<b>EN 60598-2-5:</b> 2015	Luminaires — Part 2-5: Particular requirements — Floodlights
<b>EN 60598-2-6:</b> 1994 + A1:1997	Luminaires — Part 2-6: Particular requirements — Luminaires with built-in transformers for filament lamps
<b>EN 60598-2-7:</b> 1989 + A2:1996 + A13:1997	Luminaires — Part 2-7: Particular requirements — Portable luminaires for garden use
<b>EN 60598-2-8:</b> 2013	Luminaires — Part 2-8 : Particular requirements — Handlamps
<b>EN 60598-2-10</b> : 2003	Luminaires — Part 2-10: Particular requirements — Portable luminaires for children
<b>EN 60598-2-12:</b> 2013	$\label{lem:Luminaires} \mbox{$-$ Part 2-12: Particular requirements $-$ Mains socket-outlet mounted nightlights}$
<b>EN 60598-2-13:</b> 2006 + A1 2012	Luminaires — Part 2-13: Particular requirements — Ground recessed luminaires
<b>EN 60598-2-20:</b> 2015	Luminaires — Part 2-20: Particular requirements — Lighting chains
<b>EN 60598-2-22:</b> 2014	Luminaires — Part 2-22: Particular requirements — Luminaires for emergency lighting
<b>EN 60598-2-24:</b> 2013	Luminaires - Part 2-24: Particular requirements - Luminaires with limited surface temperatures
EN 60950-1: 2006 + A11:2009 + A1:2010 + A12:2011 + A2:2013	Information technology equipment – Safety – Part 1: General requirements
<b>EN 60968:</b> 2015	Self-ballasted lamps for general lighting services — Safety requirements
<b>EN 61195:</b> 1999 + A1:2013 + A2:2015	Double-capped fluorescent lamps — Safety specifications

Document number: 2020 / 9C1-4011618-EN-00

The conformity of the designated product(s) with the provisions of the European **Low Voltage Directive 2014/35/EU** is given by the compliance with the following European Standard(s) or other specifications. If not elsewhere/otherwise indicated the edition/amendment as referenced below applies.

	<b>EN 61199:</b> 2011 + A2:2015	Single-capped fluorescent lamps — Safety specifications
$\boxtimes$	<b>EN 61347-1:</b> 2015	Lamp controlgear — Part 1: General and safety requirements
	<b>EN 61347-2-1:</b> 2001 + A1:2006 + A2:2014	Lamp controlgear — Part 2-1: Particular requirements for starting devices (other than glow starters)
	<b>EN 61347-2-2</b> : 2012	Lamp controlgear — Part 2-2: Particular requirements for d. c. or a. c. supplied electronic step-down convertors for filament lamps
	<b>EN 61347-2-3:</b> 2011	Lamp controlgear — Part 2-3: Particular requirements for a. c. and/or d. c. supplied electronic ballasts for fluorescent lamps
	<b>EN 61347-2-7:</b> 2012	Lamp controlgear — Part 2-7: Particular requirements for battery supplied electronic controlgear for emergency lighting (self-contained)
	<b>EN 61347-2-8:</b> 2001 + A1:2006	Lamp controlgear — Part 2-8: Particular requirements for ballasts for fluorescent lamps
	<b>EN 61347-2-9</b> : 2013	Lamp controlgear — Part 2-9: Particular requirements for ballasts for discharge lamps (excluding fluorescent lamps)
	<b>EN 61347-2-10:</b> 2001 + A1:2009	Lamp controlgear — Part 2-10: Particular requirements for electronic invertors and convertors for high-frequency operation of cold start tubular discharge lamps (neon tubes)
	<b>EN 61347-2-11:</b> 2001	Lamp controlgear — Part 2-11: Particular requirements for miscellaneous electronic circuits used with luminaires
	<b>EN 61347-2-12:</b> 2005 + A1:2010	Lamp controlgear — Part 2-12: Particular requirements for d. c. or a. c. supplied electronic ballasts for discharge lamps (excluding fluorescent lamps)
$\boxtimes$	<b>EN 61347-2-13:</b> 2014+ A1:2017	Lamp controlgear — Part 2-13: Particular requirements for d. c. or a. c. supplied electronic controlgear for LED modules
	<b>EN 61549:</b> 2003 + A1:2005 + A2:2010 + A3:2012	Miscellaneous lamps
$\boxtimes$	<b>EN 62031:</b> 2008 + A1:2013 + A2:2015	LED modules for general lighting — Safety specifications
	<b>EN 62034:</b> 2012	Automatic test systems for battery powered emergency escape lighting
	<b>EN 62035</b> : 2014	Discharge lamps (excluding fluorescent lamps) — Safety specifications
	EN 62368-1: 2014	Audio/video, information and communication technology equipment – Part 1: Safety requirements

Document number: 2020 / 9C1-4011618-EN-00

The conformity of the designated product(s) with the provisions of the European Low Voltage Directive 2014/35/EU is given by the compliance with the following European Standard(s) or other specifications. If not elsewhere/otherwise indicated the edition/amendment as referenced below applies.

$\bowtie$	<b>EN 62493:</b> 2015	Assessment of lighting equipment related to human exposure to electromagnetic fields
	<b>EN 62532:</b> 2011	Fluorescent induction lamps — Safety specifications
	<b>EN 62560:</b> 2012 + A1:2015	Self-ballasted LED-lamps for general lighting services by voltage > 50 V — Safety specifications
	<b>EN 62838:</b> 2016	LEDsi lamps for general lighting services with supply voltages not exceeding 50 V a.c. r.m.s. or 120 V ripple free d.c Safety specifications Consumer goods with a voltage below 50 V are dealt with by the General Product Safety Directive (GPSD) 2001/95/EC
	<b>EN 60669-2-1:</b> 2004 + A1:2009 + A12:2010	Switches for household and similar fixed electrical installations - Part 2-1: Particular requirements - Electronic switches (IEC 60669-2-1:2002, modified) / Corrected and reprinted in 2007-12
	<b>EN 62471:</b> 2008	Photobiological safety of lamps and lamp systems
	<b>EN 62733:</b> 2015	Programmable components in electronic lamp controlgear
	<b>EN 62776:</b> 2015	Double-capped LED lamps designed to retrofit linear fluorescent lamps - Safety specifications

Document number: 2020 / 9C1-4011618-EN-00

The conformity of the designated product(s) with the provisions of the European **EMC Directive**, **2014/30/EU** is given by the compliance with the following European Standard(s) or other specifications. If not elsewhere/otherwise indicated the edition/amendment as referenced below applies.

$\boxtimes$	<b>EN 55015</b> : 2013	Limits and methods of measurement of radio disturbance characteristics of electrical lighting and similar equipment
$\boxtimes$	<b>EN 61000-3-2:</b> 2014	Electromagnetic compatibility (EMC) — Part 3-2: Limits — Limits for harmonic current emissions (equipment input current ≤ 16 A per phase)
	<b>EN 61000-3-3:</b> 2013	Electromagnetic compatibility (EMC) — Part 3-3: Limits — Limitation of voltage changes, voltage fluctuations and flicker in public low voltage supply systems, for equipment with rated current ≤ 16 A per phase and not subjected to conditional connection
$\boxtimes$	<b>EN 61547:</b> 2009	Equipment for general lighting purposes — EMC immunity requirements
	EN 50498: 2010	Electromagnetic compatibility (EMC) –
		Product family standard for aftermarket electronic equipment in vehicles

Document number: 2020 / 9C1-4011618-EN-00

The conformity of the designated product(s) with the provisions of the European eco design (ERP) Directive 2009/125/EC is given by the compliance with the following European Standard(s). If not elsewhere/otherwise indicated the edition/amendment as referenced below applies.

EN 62442-1: Energy performance of lamp controlgear - Part 1: Controlgear for fluorescent 2018 lamps - Method of measurement to determine the total input power of controlgear

circuits and the efficiency of the controlgear

EN IEC 62442-2: Energy performance of lamp controlgear -

2019 Part 2: Controlgear for high intensity discharge lamps (excluding fluorescent

lamps) - Method of measurement to determine the efficiency of the controlgear

Energy performance of lamp controlgear -EN IEC 62442-3:

Part 3: Controlgear for halogen lamps and LED modules - Method of

measurement to determine the efficiency of the controlgear

#### **EU Declaration of Conformity Annex**

2019

Document number: 2020 / 9C1-4011618-EN-00

The conformity of the designated product(s) with the provisions of the European Directive 2011/65/EU (RoHS) is given by the compliance with the following European Standard(s) or other specifications. If not elsewhere/otherwise indicated the edition/amendment as referenced below applies.

$\boxtimes$	EN 50581:	Technical documentation for the assessment of electrical and electronic products
		unite managet to the machinism of beautiful and beautiful

with respect to the restriction of hazardous substances 2012

Document number: 2020 / 9C1-4011618-EN-00

dard(s). If not elsewhere/	<b>BEU</b> is given by the compliance with the following European otherwise indicated the edition/amendment as referenced below
EN 300 328 V2.1.1	Wideband transmission systems; Data transmission equipment operating in the 2,4 GHz ISM band and using wide band modulation techniques; Harmonised Standard covering the essential requirements of article 3.2 of Directive 2014/53/EU
EN 300 440 V2.1.1&V2.2.	Short Range Devices (SRD) ; Radio equipment to be used in the 1GHz to 40GHz frequency range; Harmonised Standard covering the essential requirements of article 3.2 of Directive 2014/53/EU
Draft ETSI EN 301 489-1 V2.2.0	Electro Magnetic Compatibility (EMC) standard for radio equipment and services; Part 1: Common technical requirements; Harmonised Standard covering the essential requirements of article 3.1(b) of Directive 2014/53/EU and the essential requirements of article 6 of Directive 2014/30/EU
Draft EN 301 489-3 V2.1.1	Electro Magnetic Compatibility (EMC) standard for radio equipment and services; Part 3: Specific conditions for Short-Range Devices (SRD) operating on frequencies between 9 kHz and 246 GHz; Harmonised Standard covering the essential requirements of article 3.1(b) of Directive 2014/53/EU
Draft ETSI EN 301 489-17 V3.2.0	Electro Magnetic Compatibility (EMC) standard for radio equipment and services; Part 17: Specific conditions for Broadband Data Transmission Systems; Harmonised Standard covering the essential requirements of article 3.1(b) of Directive 2014/53/EU
EN 62479: 2010	Assessment of the compliance of low-power electronic and electrical equipment with the basic restrictions related to human exposure to electromagnetic fields (10 MHz to 300 GHz)

The conformity of the designated product(s) with the provisions of the European Radio

#### **EU Declaration of Conformity Attached list**

Document number: 2020 / 9C1-4011618-EN-00

AC22953	FL PFM 65W/3000K SYM 100 BK LEDV
AC22954	FL PFM 65W/4000K SYM 100 BK LEDV
AC22955	FL PFM 65W/6500K SYM 100 BK LEDV
AC22956	FL PFM 80W/3000K SYM 100 BK LEDV
AC22957	FL PFM 80W/4000K SYM 100 BK LEDV
AC22958	FL PFM 80W/6500K SYM 100 BK LEDV
AC22959	FL PFM 125W/3000K SYM 100 BK LEDV
AC22960	FL PFM 125W/4000K SYM 100 BK LEDV
AC22961	FL PFM 125W/6500K SYM 100 BK LEDV
AC22962	FL PFM 165W/3000K SYM 100 BK LEDV
AC22963	FL PFM 165W/4000K SYM 100 BK LEDV
AC22964	FL PFM 165W/6500K SYM 100 BK LEDV
AC22965	FL PFM 200W/3000K SYM 100 BK LEDV
AC22966	FL PFM 200W/4000K SYM 100 BK LEDV
AC22967	FL PFM 200W/6500K SYM 100 BK LEDV