


Panel LED Value



	EAN	L x W x H	W	lm	lm/W	K	IP	IK
Panel LED Value 600 40W/3000K	4058075066588	595 x 595 x 9	40	3300	85	3000	20	3
Panel LED Value 600 40W/4000K	4058075066601	595 x 595 x 9	40	3600	90	4000	20	3
Panel LED Value 600 40W/6500K	4058075066625	595 x 595 x 9	40	3600	90	6500	20	3
Panel LED Value 600 40W/3000k UGR<19	4058075066649	595 x 595 x 9	40	3300	85	3000	20	3
Panel LED Value 600 40W/4000k UGR<19	4058075066663	595 x 595 x 9	40	3600	90	4000	20	3

	EAN	°C	°	R _a	PF	V _{AC}	Hz	kg
Panel LED Value 600 40W/3000K	4058075066588	-10...+45	120°	> 80	≥ 0.9	220-240V	50/60 Hz	2.0 kg
Panel LED Value 600 40W/4000K	4058075066601	-10...+45	120°	> 80	≥ 0.9	220-240V	50/60 Hz	2.0 kg
Panel LED Value 600 40W/6500K	4058075066625	-10...+45	120°	> 80	≥ 0.9	220-240V	50/60 Hz	2.0 kg
Panel LED Value 600 40W/3000k UGR<19	4058075066649	-10...+45	100°	> 80	≥ 0.9	220-240V	50/60 Hz	2.1 kg
Panel LED Value 600 40W/4000k UGR<19	4058075066663	-10...+45	100°	> 80	≥ 0.9	220-240V	50/60 Hz	2.1 kg













SMD
LED

IP20








LEDVANCE

Panel LED Value



Panel LED Value



www.luminares.ledvance.com



Downlight



Spot



Linear



Panel



Surface




DampProof
IP65



HighBay



Floodlight



CE



RoHS



EAC



C10449057
G11028175
25.10.17

LEDVANCE GmbH
Steinerne Furt 62
86167 Augsburg
Germany
www.ledvance.com