




COUVERCLES MTCC



www.niedaxfrance.fr



- Couvercles automatiques MTCC** : pour chemins de câbles Fil, rapide et fiable, se monte par simple clipsage, sans outils ni boulons.

COUVERCLES MTCC

		Désignation	Code	Masse kg/ml	ℓ. ext. mm
SZ	m				
	3	MTCC 50 SZ	711000	0.380	64
	3	MTCC 100 SZ	711001	0.860	113
	3	MTCC 150 SZ	711002	1.160	163
	3	MTCC 200 SZ	711003	1.460	215
	3	MTCC 300 SZ	711004	2.490	317
	3	MTCC 400 SZ	711005	3.150	418
	3	MTCC 500 SZ	711006	4.300	519
	3	MTCC 600 SZ	711007	5.090	619

GC	3	MTCC 50 GC	711008	0.420	64
	3	MTCC 100 GC	711009	0.950	113
	3	MTCC 150 GC	711010	1.270	163
	3	MTCC 200 GC	711011	1.610	215
	3	MTCC 300 GC	711012	2.740	317
	3	MTCC 400 GC	711013	3.460	418
	3	MTCC 500 GC	711014	4.730	519
	3	MTCC 600 GC	711015	5.600	619

304L	3	MTCC 50 304L	711016	0.390	64
	3	MTCC 100 304L	711017	0.930	113
	3	MTCC 150 304L	711018	1.260	163
	3	MTCC 200 304L	711019	1.590	215
	3	MTCC 300 304L	711020	2.260	317
	3	MTCC 400 304L	711021	2.850	418
	3	MTCC 500 304L	711022	4.380	519
	3	MTCC 600 304L	711023	5.190	619



SZ : acier galvanisé à chaud avant fabrication en continu selon NF EN 10 346 – ASTM A653

GC : acier galvanisé à chaud après fabrication selon NF EN ISO 1461 – ASTM A123

304 L : acier inoxydable X2CrNi 18-9 selon NF EN 10088-2 – AISI 304L – ASTM A240

