




NIEDAX


COUVERCLES MTCC



www.niedaxfrance.fr

- **Couvercles automatiques MTCC** : pour chemins de câbles Fil, rapide et fiable, se monte par simple clipsage, sans outils ni boulons.

COUVERCLES MTCC

| |  | Désignation | Code | Masse kg/ml | l. mm |
|-----------|--|-------------|---------------|-------------|-------|
| SZ | 3 | MTCC 50 SZ | 711000 | 0.380 | 64 |
| | 3 | MTCC 100 SZ | 711001 | 0.860 | 113 |
| | 3 | MTCC 150 SZ | 711002 | 1.160 | 163 |
| | 3 | MTCC 200 SZ | 711003 | 1.460 | 214 |
| | 3 | MTCC 300 SZ | 711004 | 2.490 | 316 |
| | 3 | MTCC 400 SZ | 711005 | 3.150 | 418 |
| | 3 | MTCC 500 SZ | 711006 | 4.300 | 518 |
| | 3 | MTCC 600 SZ | 711007 | 5.090 | 618 |

| | | | | | |
|-----------|---|-------------|---------------|-------|-----|
| GC | 3 | MTCC 50 GC | 711008 | 0.420 | 64 |
| | 3 | MTCC 100 GC | 711009 | 0.950 | 113 |
| | 3 | MTCC 150 GC | 711010 | 1.270 | 163 |
| | 3 | MTCC 200 GC | 711011 | 1.610 | 214 |
| | 3 | MTCC 300 GC | 711012 | 2.740 | 316 |
| | 3 | MTCC 400 GC | 711013 | 3.460 | 418 |
| | 3 | MTCC 500 GC | 711014 | 4.730 | 518 |
| | 3 | MTCC 600 GC | 711015 | 5.600 | 618 |

| | | | | | |
|-----------|---|-------------|---------------|-------|-----|
| I2 | 3 | MTCC 50 I2 | 711016 | 0.390 | 64 |
| | 3 | MTCC 100 I2 | 711017 | 0.930 | 113 |
| | 3 | MTCC 150 I2 | 711018 | 1.260 | 163 |
| | 3 | MTCC 200 I2 | 711019 | 1.590 | 214 |
| | 3 | MTCC 300 I2 | 711020 | 2.260 | 316 |
| | 3 | MTCC 400 I2 | 711021 | 2.850 | 418 |
| | 3 | MTCC 500 I2 | 711022 | 4.380 | 518 |
| | 3 | MTCC 600 I2 | 711023 | 5.190 | 618 |

SZ : acier galvanisé à chaud avant fabrication en continu selon NF EN 10 346 (S220 GD/Z)

GC : acier galvanisé à chaud après fabrication selon ISO 1461 - BS 729 - ASTM A123

I2-304 L : acier inoxydable X2CrNi 18-9 selon NF EN 10088 – AISI 304L – ASTM A240

