

371 - Fiche pour connectique rapide

Code: 998045-00



en polycarbonate. Utiliser pour ligne continue avec câble. Serre-câble avec entrée 16A min. Ø9 max Ø12 mm. Vendu par 10.

998045-00 : 5P



INFORMATIONS GÉNÉRALES

Article	371 - Fiche pour connectique rapide
Code	998045-00

DIMENSIONS ET POIDS

Hauteur (mm)	62 mm
Diamètre (Ø) (mm)	30 mm
Poids (Kg)	0.05 kg

371 - Fiche pour connectique rapide

Code: 998045-00




371 - Fiche pour connectique rapide

Code: 998045-00

GARANTIE

Garantie après-vente 0 yr



TÉLÉCHARGEMENT

DESSINS

DessinTechnique 371.dxf



371 - Fiche pour connectique rapide

Code: 998045-00



974 Ottima - Energy Saving



971 Ottima - High Performance



963 Hydro LED - High Performance - FS



965 Hydro ICE-HT - high-low temperature



963 Hydro LED - High Performance



927 Echo - bi-émission LED - Energy saving



927 Echo - bi-émission LED - DÉTECTEUR DE PRÉSENCE



927 Echo - mono-émission LED - Energy saving



927 Echo - mono-émission LED - DÉTECTEUR DE PRÉSENCE



927 Echo 3 000K 6 500K - module double LED - ES



927 Echo 3 000K 6 500K - module simple LED - ES



927 Echo FS - bi-émission LED - Energy saving



957 Echo - bi-émission LED - High Performance



957 Echo - mono-émission LED - High Performance

371 - Fiche pour connectique rapide

Code: 998045-00



957 Echo FS - bi-émission LED - High Performance



958 Echo PARKING - module LED double



963 Hydro LED - High Performance - S