1SNA115192R0400 ✓ ACTIVE



ENTRELEC | ENTRELEC SNA

TE Internal #: 1SNA115192R0400

Modular Terminal Blocks, Feed-Through, Screw Clamp Terminal Block, Gray, Product Spacing .235 in [6 mm], 2 Position, Screw

Terminal, ENTRELEC SNA

View on TE.com >



Connectors > Terminal Blocks & Strips > Modular Terminal Blocks











Block Function: Feed-Through

Modular Terminal Block Product Type: Screw Clamp Terminal Block

Rated Cross Section: 4 mm² Primary Product Color: Gray

Features

Product Type Features

Impulse Withstanding Voltage Rating (IEC)

Short-Time Withstanding Current Rating @ 1s

Voltage Rating (CSA)

Current Rating (CSA)

Dielectric Test Voltage

Modular Terminal Block Product Type	Screw Clamp Terminal Block
Configuration Features	
Gauge Type	A4
Number of Levels	1
Number of Poles	2
Number of Circuits	1
Block Function	Feed-Through
Number of Positions	2
Electrical Characteristics	
Operating Voltage Rating (UL & CSA) (Max) - Main Circuit	600 V

8000 V

600 V

30 A

3500 V

480 A



Voltage Rating (IEC)	800 V
Current Rating (UL)	30 A
Current Rating (IEC)	32 A
Voltage Rating	800 VAC
Body Features	
Product Weight	8.2 g[.289 oz]
Primary Product Color	Gray
Termination Features	
Termination Method to Wire & Cable	Screw Terminal
Mechanical Attachment	
DIN Rail Mounting Type	G32, TH35-15, TH35-7.5
Tightening Torque	4.4 in-lbs
Connector Mounting Type	DIN Rail
Housing Features	
Housing Material	Polyamide 6.6
Dimensions	
Main Circuit Capacity - 1 Rigid Stranded Conductor per Screw Clamp	.2 – 4 mm²
Wire Stripping Length	9.5 mm[.374 in]
Main Circuit Capacity - 1 Flexible Conductor per Spring Clamp	.22 – 4 mm²
Tool Size	4 mm[.157 in]
Product Depth	40.5 mm
Product Width	6 mm[.235 in]
Product Length	40.5 mm
Product Height	44.5 mm
Rated Cross Section	4 mm ²
Product Spacing	6 mm[.235 in]
Wire Size	4 mm ²
Usage Conditions	
Usage Conditions Storage Temperature Range	-55 – 110 °C[-67 – 230 °F]
	-55 - 110 °C[-67 - 230 °F] -5 - 40 °C[23 - 104 °F]



Operation/Application

Circuit Application	Signal
Industry Standards	
IP Rating	IP20
UL Flammability Rating	UL 94V-0

Product Compliance

For compliance documentation, visit the product page on TE.com>


EU RoHS Directive 2011/65/EU	Compliant with Exemptions
EU ELV Directive 2000/53/EC	Compliant with Exemptions
China RoHS 2 Directive MIIT Order No 32, 2016	Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2022 (224) Candidate List Declared Against: JUNE 2022 (224) SVHC > Threshold: Pb (3.5% in Component Part) Article Safe Usage Statements: Do not eat, drink or smoke when using this product. Wash thoroughly after handling. Recycle if possible and dispose of the article by following all applicable governmental regulations relevant to your geographic location.
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not reviewed for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

Compatible Parts







TE Part # 1SNA178745R1400 CBM5

TE Part # 1SNA187312R1400 CPM

TE Part # 1SNA399903R0200 BADL

TE Part # 1SNA103619R0400 SCFEX1

Also in the Series | ENTRELEC SNA



Modular Terminal Blocks(182)



Terminal Block & Strip Conducting Accessories(26)



Terminal Block & Strip Insulating Accessories(14)


Customers Also Bought



TE Part #1SNA115219R2600 M6/8.4



TE Part #1SNA115261R2000 M10/10.1



TE Part #1SNA115313R1400 M4/6.ST.Sn



TE Part #1SNA115539R1700 M10/10.ST-Sn

TE Part #1SNA164921R1700 BRE-T-1

TE Part #1SNA166513R1000 M10-D-C5A

TE Part #1SNA166516R1300 FIM10-1

TE Part #1SNA166738R0100 CC-D-VA

TE Part #1SNA166874R2200 DEO-D-VA

TE Part #1SNA114328R2200 FEMT3

Modular Terminal Blocks, Feed-Through, Screw Clamp Terminal Block, Gray, Product Spacing .235 in [6 mm], 2 Position, Screw Terminal, ENTRELEC SNA



Documents

CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_1SNA115192R0400_A.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_1SNA115192R0400_A.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_1SNA115192R0400_A.3d_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use

Datasheets & Catalog Pages

Catalogue - ENTRELEC terminal-blocks-sna-series

English

M4/6.4

English

ENTRELEC Terminal Blocks Catalogue (RUS)