




Connectors > Terminal Blocks & Strips > Terminal Block & Strip Accessories > Terminal Block & Strip Conducting Accessories



Conducting Accessory Type: **Jumper Bar**

Number of Poles: **5**

Product Spacing: **5 mm [ .197 in ]**

Contact Current Rating (Max): **24 A**

Connector Mounting Type: **DIN Rail**

Features

Product Type Features

Conducting Accessory Type	Jumper Bar
---------------------------	------------

Configuration Features

Number of Available Poles	5
Number of Poles	5

Body Features

Product Weight	5 g
----------------	-----

Contact Features

Contact Current Rating (Max)	24 A
------------------------------	------

Mechanical Attachment

Connector Mounting Type	DIN Rail
-------------------------	----------

Dimensions

Product Width	6 mm[.236 in]
Product Length	24.4 mm[.961 in]
Product Height	19 mm[.748 in]
Product Spacing	5 mm[.197 in]

Usage Conditions

Operating Temperature Range	-55 – 110 °C[-67 – 230 °F]
-----------------------------	----------------------------

Product Compliance


For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant with Exemptions
EU ELV Directive 2000/53/EC	Compliant with Exemptions
China RoHS 2 Directive MIIT Order No 32, 2016	Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2022 (224) Candidate List Declared Against: JUNE 2022 (224) SVHC > Threshold: Pb (3.5% in Component Part) <b>Article Safe Usage Statements:</b> Do not eat, drink or smoke when using this product. Wash thoroughly after handling. Recycle if possible and dispose of the article by following all applicable governmental regulations relevant to your geographic location.
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not reviewed for solder process capability


Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) ‘Guidance on requirements for substances in articles’ posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>


Compatible Parts




TE Part # 1SNA176226R2200  
BJM5D-2



TE Part # 1SNA176227R2300  
BJM5D-3




TE Part # 1SNA176228R0400  
BJM5D-4



TE Part # 1SNA176230R0200  
BJM5D-10


Also in the Series | ENTRELEC SNA



Modular Terminal Blocks(182)



Terminal Block & Strip Conducting Accessories(26)



Terminal Block & Strip Insulating Accessories(14)

Customers Also Bought



TE Part #1SNA115166R1100  
M4/6.D1



TE Part #1SNA176663R0000  
BJMI6-2



TE Part #1SNA176664R0100  
BJMI6-3



TE Part #1SNA176666R0300  
BJMI6-5



TE Part #1SNA176736R2100  
BJMI5D-2



TE Part #1SNA176737R2200  
BJMI5D-3



TE Part #1SNA176738R0300  
BJMI5D-4



TE Part #1SNA176739R0400  
BJMI5D-5



TE Part #1SNA168516R2500  
BJM6-2

Documents

Product Drawings

BJM5D-5

English

Datasheets & Catalog Pages

BJM5D-5 POLES

English