




Connectors > Terminal Blocks & Strips > Terminal Block & Strip Accessories > Terminal Block & Strip Mounting & Retention Accessories



Product Length: 12 mm [.472 in]
Operating Temperature Range: -55 – 110 °C [-67 – 230 °F]

Features

Body Features

Plastic & Resin Material Type	Polyamide
Product Weight	.4 g[.014 oz]
Primary Product Color	Beige

Mechanical Attachment

DIN Rail Mounting Type	G32, TH15-5.5, TH35-7.5
------------------------	-------------------------

Dimensions

Product Spacing	1.2 mm[.047 in]
Product Depth	12 mm[.472 in]
Product Width	1.2 mm[.047 in]
Product Height	38 mm[1.496 in]
Product Length	12 mm[.472 in]

Usage Conditions

Storage Temperature Range	-55 – 110 °C[-67 – 230 °F]
Operating Temperature Range	-55 – 110 °C[-67 – 230 °F]

Operation/Application

For Use with Block or Strip Style	Screw Clamp Terminal Blocks
-----------------------------------	-----------------------------







For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2022 (224) Candidate List Declared Against: JUNE 2022 (224) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not reviewed for solder process capability


This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

TE Part # 1SNA162975R2300 H70/22.F8.31	TE Part # 1SNA162984R1500 H16/12.F5	TE Part # 1SNA167224R2700 BJS13-10	TE Part # 1SNA163468R0000 BJH131-10
---	--	---	--



 TE Part # 1SNA163475R2700 BJB17	 TE Part # 1SNA163476R2000 BJB23-10	 TE Part # 1SNA173438R2400 BJB14-2	 TE Part # 1SNA173439R2500 BJB14-3
 TE Part # 1SNA173451R2100 BJB14-10	 TE Part # 1SNA173452R2200 BJB18-2	 TE Part # 1SNA173453R2300 BJB18-3	 TE Part # 1SNA173461R2300 BJB18-10

Customers Also Bought

 TE Part #W2S DEUTSCH DT Wedgelocks	 TE Part #0460-202-16141 DEUTSCH SOLID CONTACTS	 TE Part #282104-1 AMP SUPERSEAL 1.5MM, CONNECTOR HOUSING	 TE Part #281934-2 SINGLE WIRE SEAL
 TE Part #DT04-2P DEUTSCH DT Series Housings & Connectors	 TE Part #114017-ZZ SEALING PLUG, SIZE 12/16, WHT		

Documents

CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_1SNA193474R1500_A.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_1SNA193474R1500_A.3d_igs.zip

English

1SNA193474R1500

Terminal Block & Strip Mounting & Retention Accessories, Length .472 in [12 mm], -67 – 230 °F [-55 – 110 °C]



Customer View Model

[ENG_CVM_CVM_1SNA193474R1500_A.3d_stp.zip](#)

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Datasheets & Catalog Pages

[INH1](#)

English