



Connectors > Terminal Blocks & Strips > Terminal Block & Strip Accessories > Terminal Block & Strip Insulating Accessories



Insulating Accessory Type: **End Section Cover**
Compatible With Block or Strip Type: **Screw Clamp Terminal Blocks**
Operating Temperature Range: **-55 – 110 °C [-67 – 230 °F]**

Features

Product Type Features

Insulating Accessory Type	End Section Cover
---------------------------	-------------------

Body Features

Plastic & Resin Material Type	Polyamide
Product Weight	3.5 g[.123 oz]
Primary Product Color	Dark Gray

Dimensions

Product Spacing	2.2 mm[.087 in]
Product Depth	33.7 mm[1.327 in]
Product Height	59.9 mm[2.358 in]

Usage Conditions

Storage Temperature Range	-55 – 110 °C[-67 – 230 °F]
Installation Temperature Range	-5 – 40 °C[23 – 104 °F]
Operating Temperature Range	-55 – 110 °C[-67 – 230 °F]

Operation/Application

Compatible With Block or Strip Type	Screw Clamp Terminal Blocks
-------------------------------------	-----------------------------



Industry Standards

IP Rating	IP20
UL Flammability Rating	UL 94V-0

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2022 (224) Candidate List Declared Against: JUNE 2022 (224) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not reviewed for solder process capability


Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) ‘Guidance on requirements for substances in articles’ posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>


Compatible Parts



TE Part # 1SNK506011R0000
ZS6-3S



TE Part # 1SNK506021R0000
ZS6-3S-BL




TE Part # 1SNK506067R0000
ZS6-3S-YL



TE Part # 1SNK506151R0000
ZS6-3S-PE


Also in the Series | ENTRELEC SNK



Modular Terminal Blocks(318)



Terminal Block & Strip Conducting
Accessories(67)



Terminal Block & Strip Insulating
Accessories(30)

Customers Also Bought



TE Part #3-6450832-8
MBXL R/A HEADER 3ACP + 4P + 24S



TE Part #1SNK505150R0000
ZS4-PE




TE Part #1SNK900619R0000
PL6



TE Part #1SNK506012R0000
ZS6-4S




TE Part #6450873-3
MBXLE R/A REC SOLDER 6 LP



TE Part #3-6450832-6
MBXLE R/A HEADER 15P+28S



TE Part #4-2271037-0
EJT2.54,HDR,2x20P,ST,THT,FG



TE Part #6450129-7
MBXL R/A HDR STR 2P RAISED



TE Part #6450874-2
MBXLE R/A RCT,A/C PASS THRU
3ACP+12P+28S



TE Part #1-1102656-5
HIP.16/40.AG

Documents

CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_1SNK505912R0000_A.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_1SNK505912R0000_A.3d_igs.zip

1SNK505912R0000

Terminal Block & Strip Insulating Accessories, End Section Cover, Used With Screw Clamp Terminal Blocks, -67 – 230 °F [-55 – 110 °C], ENTRELEC SNK



English

Customer View Model

ENG_CVM_CVM_1SNK505912R0000_A.3d_stp.zip

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Datasheets & Catalog Pages

ENTRELEC Terminal Block - Master Catalog

English

ES6-3S

English

SNK SERIES TERMINAL BLOCKS

English

ENTRELEC Terminal Blocks Catalogue (RUS)