




Connectors > Terminal Blocks & Strips > Terminal Block & Strip Accessories > Terminal Block & Strip Conducting Accessories



Conducting Accessory Type: **Short Circuit Bridge**

Number of Poles: **4**

Primary Product Color: **Yellow**

Product Spacing: **8 mm [.315 in]**

Contact Current Rating (Max): **5 A**

Features

Product Type Features

Conducting Accessory Type	Short Circuit Bridge
---------------------------	----------------------

Configuration Features

Number of Poles	4
-----------------	---

Electrical Characteristics

Current Rating (IEC)	5 A
----------------------	-----

Body Features

Plastic & Resin Material Type	Polyamide
Product Weight	4.7 g[.166 oz]
Primary Product Color	Yellow

Contact Features

Contact Current Rating (Max)	5 A
------------------------------	-----

Dimensions

Tool Size	3.5 mm[.138 in]
-----------	-----------------



Product Depth	13.9 mm[.547 in]
Product Width	8 mm[.315 in]
Product Height	24.6 mm[.968 in]
Product Spacing	8 mm[.315 in]

Usage Conditions

Storage Temperature Range	-55 – 110 °C[-67 – 230 °F]
Installation Temperature Range	-5 – 40 °C[23 – 104 °F]
Operating Temperature Range	-55 – 110 °C[-67 – 230 °F]

Industry Standards

IP Rating	IP20
-----------	------

Product Compliance


For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2022 (224) Candidate List Declared Against: JUNE 2022 (224) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not reviewed for solder process capability


Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) ‘Guidance on requirements for substances in articles’ posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>


Compatible Parts




TE Part # 1SNK508011R0000
ZS10-R1




TE Part # 1SNK508151R0000
ZS10-PE-R1




TE Part # 1SNK508310R0000
ZS10-ST



TE Part # 1SNA115914R0700
D6/8.ST.RS



TE Part # 1SNK508311R0000
ZS10-ST-T4



TE Part # 1SNA115831R0400
D6/8.ST1.RS.IP20


Also in the Series | ENTRELEC SNK



Modular Terminal Blocks(318)




Terminal Block & Strip Conducting Accessories(67)



Terminal Block & Strip Insulating Accessories(30)

Customers Also Bought




TE Part #1SNK508310R0000
ZS10-ST



TE Part #1SNK706012R0000
ZK4-4P



TE Part #1SNK900653R0000
SC-JB8-3



TE Part #1SNA115237R1000
M6/8.ST1



TE Part #1SNK900652R0000
SC-JB8-2



TE Part #1SNK908902R0000
JB8-2-R1



TE Part #1SNK908903R0000
JB8-3-R1



TE Part #1SNK908904R0000
JB8-4-R1

1SNK900654R0000

Terminal Block & Strip Conducting Accessories, Short Circuit Bridge, 4 Pole, Yellow,
Product Spacing .315 in [8 mm], ENTRELEC SNK



Documents

CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_1SNK900654R0000_A.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_1SNK900654R0000_A.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_1SNK900654R0000_A.3d_stp.zip

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Datasheets & Catalog Pages

Catalogue - ENTRELEC terminal-blocks-sna-series

English

ENTRELEC Terminal Block - Master Catalog

English

SC-JB8-4

English

SNK SERIES TERMINAL BLOCKS

English

ENTRELEC Terminal Blocks Catalogue (RUS)