
## 1SNK905310R0000 - ACTIVE

#### ENTRELEC | ENTRELEC SNK

TE Internal #: 1SNK905310R0000 Terminal Block & Strip Conducting Accessories, Jumper Bar, 10 Pole, Orange, Product Spacing .205 in [5.2 mm], ENTRELEC SNK View on TE.com >



Connectors > Terminal Blocks & Strips > Terminal Block & Strip Accessories > Terminal Block & Strip Conducting Accessories



Conducting Accessory Type: Jumper Bar

Number of Poles: 10

PCB Mount Retention Type: Screwless

Primary Product Color: Orange

Product Spacing: 5.2 mm [.205 in ]

#### Features

#### Product Type Features

Conducting Accessory Type	Jumper Bar
Configuration Features	
Number of Poles	10
Electrical Characteristics	
Operating Voltage Rating (UL & CSA) (Max) - Main Circuit	600 V
Impulse Withstanding Voltage Rating (IEC)	8000 ∨
Voltage Rating (CSA)	600 V
Current Rating (CSA)	30 A
Power Loss	1 W
Dielectric Test Voltage	2200 V
Short-Time Withstanding Current Rating @ 1s	480 A
Voltage Rating (IEC)	1000 V
Current Rating (UL)	30 A
Current Rating (IEC)	32 A

Terminal Block & Strip Conducting Accessories, Jumper Bar, 10 Pole, Orange, Product Spacing .205 in [5.2 mm], ENTRELEC SNK



## **Body Features**

Product Weight	7.1 g[.25 oz]
Plastic & Resin Material Type	Polyamide
Primary Product Color	Orange
Contact Features	
Contact Current Rating (Max)	32 A
Mechanical Attachment	
PCB Mount Retention Type	Screwless
Dimensions	
Product Depth	26.8 mm[1.055 in]
Product Width	5.2 mm[.205 in]
Product Height	49.8 mm[1.961 in]
Product Spacing	5.2 mm[.205 in]
Usage Conditions	
Storage Temperature Range	-55 – 110 °C[-67 – 230 °F]
Installation Temperature Range	-5 – 40 °C[23 – 104 °F]
Operating Temperature Range	-55 – 110 °C[-67 – 230 °F]

## Industry Standards

IP Rating

#### IP20

## Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2022 (224) Candidate List Declared Against: JUNE 2022 (224) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not reviewed for solder process capability

**C** For support call+1 800 522 6752

02/09/2023 08:48AM | Page 2

Terminal Block & Strip Conducting Accessories, Jumper Bar, 10 Pole, Orange, Product Spacing .205 in [5.2 mm], ENTRELEC SNK




#### Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

## **Compatible Parts**





Terminal Block & Strip Conducting Accessories, Jumper Bar, 10 Pole, Orange, Product Spacing .205 in [5.2 mm], ENTRELEC SNK





# Also in the Series ENTRELEC SNK





Terminal Block & Strip Conducting



Terminal Block & Strip Insulating

Accessories(67)

Accessories(30)

## Customers Also Bought



Terminal Block & Strip Conducting Accessories, Jumper Bar, 10 Pole, Orange, Product Spacing .205 in [5.2 mm], ENTRELEC SNK





#### Documents

#### **CAD** Files

#### 3D PDF

3D

**Customer View Model** 

ENG\_CVM\_CVM\_1SNK905310R0000\_A.2d\_dxf.zip

English

**Customer View Model** 

ENG\_CVM\_CVM\_1SNK905310R0000\_A.3d\_igs.zip

English

**Customer View Model** 

ENG\_CVM\_CVM\_1SNK905310R0000\_A.3d\_stp.zip

English

By downloading the CAD file I accept and agree to the Terms and Conditions of use

**Datasheets & Catalog Pages** 

**ENTRELEC Terminal Block - Master Catalog** 

English

JB5-10

English

SNK SERIES TERMINAL BLOCKS

English

ENTRELEC Terminal Blocks Catalogue (RUS)

**Essential Entrelec Terminal Blocks** 

French

**Essential Entrelec Terminal Blocks** 

English

**Product Environmental Compliance Product Compliance** English **Product Compliance** 

English