



## Features

Use: Indoor  
Type of installation: WALL, SUSPENDED, CEILING MOUNTED  
Emission: DIRECT  
Optics: OPAL  
Colour: CAPPUCCINO  
Dimming: WITH ACCESSORY  
Emergency: NO  
L: Ø962mm  
A: 40mm  
H: 40mm  
Made in: ITALY  
Warranty: 5 years  
Weight: 5.5kg

## Tech data

Luminaire input power: 66.1W  
Luminaire luminous flux: 3308lm  
IP: 40  
Insulation class: III  
Supply voltage: MAX 1.8A  
UGR: <19  
IK: 3  
SELV: Si

## Source

Light source: LED  
Source power: 62W  
Source luminous flux: 9606lm  
Colour temperature: 4000K  
CRI: >90  
Colour tolerance: 3 Step MacAdam  
LED lifespan: 50000h L80 B20

## Compliance

CEI EN 60598-1:2021 + A11:2023, CEI EN 60598-2-1:2022

## Standards

Photobiological risk: RISK GROUP 0 Certified fixture in EXEMPT GROUP, in accordance with CEI EN 62471:2010-01, IEC TR 62778:2014.  
CAM edilizia: The product complies with the requirements for public buildings, ministerial decree of 23rd June 2022 n.256.

[HALOS: View more product info](#)

[HALOS ACOUSTIC: View more product info](#)



## COMPLETION ACCESSORIES



ARK/HALOS: KIT GIUNZIONE PROFILI NE

**109809.02**



ARK/HALOS: KIT GIUNZIONE PROFILI BIA

**109809.01**

## MOUNTING ACCESSORIES



CAVO ALIMENTAZIONE L=3000 2X1 BIANCO

**109001.01**



CAVO ALIMENTAZIONE L=3000 3X1.5 TRASP

**109001.00**



HALOS: ROSONE ALIM. REMOTA CAPP

**105157.21**



HALOS: ROSONE DOPPIA ALIM. REMOTA BIA

**105158.01**



HALOS: KIT 4 CAVI SOSPENSIONE L.3000

**105159.99**



HALOS: ROSONE ALIM. REMOTA BIA

**105157.01**



HALOS: ROSONE DOPPIA ALIM. REMOTA CAPP

**105158.21**



CAVO ALIMENTAZIONE L=3000 2X1 NERO

**109001.02**

ELECTRICAL ACCESSORIES

|                                                                                     |                                         |           |
|-------------------------------------------------------------------------------------|-----------------------------------------|-----------|
|    | HALOS: ROSONE-N DOPPIA ALIM ON/OFF BIA  | 105155.01 |
|    | HALOS: ROSONE-N ALIM. ON/OFF CAPP       | 105151.21 |
|    | HALOS: ROSONE-N ALIM. ON/OFF BIA        | 105151.01 |
|    | HALOS: ROSONE ALIM. ON/OFF CAPP         | 105149.21 |
|    | HALOS: ROSONE ALIM. ON/OFF BIANCO       | 105149.01 |
|  | HALOS: ROSONE DOPPIA ALIM. ON/OFF CAPP  | 105153.21 |
|  | HALOS: ROSONE DOPPIA ALIM. ON/OFF BIA   | 105153.01 |
|  | HALOS: ROSONE-N DOPPIA ALIM ON/OFF CAPP | 105155.21 |
|  | HALOS: ALIMENTATORE ON/OFF              | 105147.99 |
| DIMMABLE ACCESSORIES                                                                |                                         |           |
|  | HALOS: ROSONE-N ALIM. DALI/PUSH BIA     | 105152.01 |

|                                                                                     |                                         |           |
|-------------------------------------------------------------------------------------|-----------------------------------------|-----------|
|    | HALOS: ROSONE ALIM. DALI/PUSH BIANCO    | 105150.01 |
|    | HALOS: ROSONE DOPPIA ALIM. DA/PUSH CAPP | 105154.21 |
|    | HALOS: ALIMENTATORE DALI/PUSH           | 105148.99 |
|    | HALOS: ROSONE-N DOPPIA ALIM D/PUSH CAPP | 105156.21 |
|    | HALOS: ROSONE-N DOPPIA ALIM D/PUSH BIA  | 105156.01 |
|  | HALOS: ROSONE DOPPIA ALIM. DA/PUSH BIA  | 105154.01 |
|  | HALOS: ROSONE-N ALIM. DALI/PUSH CAPP    | 105152.21 |
|  | HALOS: ROSONE ALIM. DALI/PUSH CAPP      | 105150.21 |