


P-30 STRIP LED

105837.20

novalux
ITALIAN LIGHTING DESIGN SINCE 1948




Features

Use: Indoor
Type of installation: WALL, SUSPENDED
Emission: DIRECT
Colour: CAFFE
L: 2400mm
A: 31mm
H: 31mm
Made in: ITALY
Warranty: 5 years
Weight: 1.55kg

Tech data

IP: 40

[P-30 STRIP LED: View more product info](#)



Novalux S.r.l. via Marzabotto, 2 40050 Funo di Argelato (BO) Italy
Tel: +39 051 860558 · Fax +39 051 6647859 · Mail: info@novalux.it · VAT number 00536541204 · novalux.com
Company subject to the management and coordination by SLV GmbH

This technical data sheet is owned by Novalux S.r.l., all rights reserved. Novalux S.r.l. reserves the right to make changes without prior notice.
Last update: 19/5/2025, 12:39:31







P-30 STRIP LED

105837.20

SCREENS

	P-30: DIFF. OPALE L=6500	103315.99
	P-30: DIFF. ANGOLO T LATO LUNGO+CORTO	103334.99
	P-30: DIFF. OPALE PER L2400	103314.99
	P-30: DIFF. ANGOLO L DX+SX 119MM	103330.99

COMPLETION ACCESSORIES

	P-30: SNODO 3P PER PCB/STRIP CAFFE	105853.20
	P-30: COVER ANGOLO L CAFFE	103329.20
	P-30: TESTATA PER INSTALL.VERT. CAF	1058D8.20
	P-30: ANGOLO T PLAFONE-SOSP CAFFE	103331.20
	KIT GIUNZIONE MODULI P-30/LUCKY MINI	103317.99
	P-30: SNODO NO CAVI CAFFE	105854.20



P-30 STRIP LED

105837.20

novalux
ITALIAN LIGHTING DESIGN SINCE 1948



P-30: COPPIA TESTATE STRIP/INCASSO CAFFE

103316.20



P-30: COVER ANGOLO T CAFFE

103333.20




P-30: ANGOLO L PLAFONE-SOSP-PARETE CAFFE

103327.20



P-30: KIT MOLLA PER COVER

103326.99



P-30: COVER CON MOLLE CAFFE L=2400


103325.20

MOUNTING ACCESSORIES




P-30: CAVO DI SOSPENSIONE

103318.99



P-30: ROSONE QDR CARTON. 1200 2X1.5 CF


103365.20



P-30: ROSONE LATER. ALIM 1200 2X1.5 CF


103366.20

ELECTRICAL ACCESSORIES



P-30: ROSONE PLAF.INIZIO 100W-24VCF

1058C9.20



P-30: ROSONE SOSPENS. DALI. 150W-24VCF

1058D7.20

P-30: ROSONE PLAF.CENTR DALI 150W-24VCF

1058D6.20




Novalux S.r.l. via Marzabotto, 2 40050 Funo di Argelato (BO) Italy
Tel: +39 051 860558 · Fax +39 051 6647859 · Mail: info@novalux.it · VAT number 00536541204 · novalux.com
Company subject to the management and coordination by SLV GmbH

This technical data sheet is owned by Novalux S.r.l., all rights reserved. Novalux S.r.l. reserves the right to make changes without prior notice.
Last update: 19/5/2025, 12:39:31

P-30 STRIP LED

105837.20

novalux
ITALIAN LIGHTING DESIGN SINCE 1948




Novalux S.r.l. via Marzabotto, 2 40050 Fano di Argelato (BO) Italy
Tel: +39 051 860558 · Fax +39 051 6647859 · Mail: info@novalux.it · VAT number 00536541204 · novalux.com
Company subject to the management and coordination by SLV GmbH

This technical data sheet is owned by Novalux S.r.l., all rights reserved. Novalux S.r.l. reserves the right to make changes without prior notice.
Last update: 19/5/2025, 12:39:31

P-30 STRIP LED


105837.20

novalux
ITALIAN LIGHTING DESIGN SINCE 1948




P-30: ROSONE PLAF.INIZIO 320W-24VCF

1058D2.20




P-30: ROSONE PLAF.CENTRO 320W-24VCF

1058D3.20




P-30: ROSONE SOSPENSIONE 320W-24V 3MCF

1058D4.20




P-30: ROSONE SOSPENSIONE 100W-24V 3MCF

1058D1.20



P-30: ROSONE PLAF.INIZ. DALI 150W-24VCF

1058D5.20



P-30: ROSONE PLAF.CENTRO 100W-24VCF

1058D0.20



Novalux S.r.l. via Marzabotto, 2 40050 Fano di Argelato (BO) Italy
Tel: +39 051 860558 · Fax +39 051 6647859 · Mail: info@novalux.it · VAT number 00536541204 · novalux.com
Company subject to the management and coordination by SLV GmbH

This technical data sheet is owned by Novalux S.r.l., all rights reserved. Novalux S.r.l. reserves the right to make changes without prior notice.
Last update: 19/5/2025, 12:39:31