

Features

Use: Indoor
Type of installation: SUSPENDED, CEILING MOUNTED
Emission: DIRECT
Colour: WHITE
Emergency: NO
L: 1689mm
A: 60mm
H: 80mm
Made in: ITALY
Warranty: 5 years
Weight: 4.92kg

Tech data

IP: 40
Insulation class: I
Supply voltage: 220-240V 50/60Hz

Compliance

CEI EN 60598-1:2021 + A11:2023, CEI EN 60598-2-1:2022


[View more product info](#)

COMPLETION ACCESSORIES




TEK: ALIM. TESTA 9 POLI BI

107008.01




TEK: GIUNTO/ALIM. "L" 9 POLI BI

107010.01




TEK: GIUNTO/ALIM. "T" 9 POLI BI

107011.01



TEK: TESTATA TERMINALE BI

107013.01



TEK: GIUNTO/ALIM. CENTR. 9 POLI BI

107009.01

MOUNTING ACCESSORIES



HERO: SOSPL3000 1PZ. TESTA/CODA

108685.99

TEK: KIT SOSPENSIONE GIUNZIONE 107015.99



KIT ALIMENTAZIONE L3000 5P BIA 108922.01



KIT ALIMENTAZIONE L3000 3P BIA 108920.01