

## Features

Use: Indoor  
Type of installation: SUSPENDED  
Emission: DIRECT/INDIRECT  
Optics: OPAL  
Colour: CAPPUCCINO  
Dimming: WITH ACCESSORY  
Emergency: NO  
L: Ø962mm  
A: 40mm  
H: 50mm  
Made in: ITALY  
Warranty: 5 years  
Weight: 6.9kg

## Tech data

Luminaire input power: 141.5W  
Luminaire luminous flux: 8177lm  
Direct luminous flux: 3182lm  
Indirect luminous flux: 4995lm  
IP: 40  
Insulation class: III  
Supply voltage: MAX 1.8A  
UGR: <19  
IK: 3  
SELV: Si

## Source

Light source: LED  
Source power: 124W  
Source luminous flux: 17796lm  
Colour temperature: 3000K  
CRI: >90  
Colour tolerance: 3 Step MacAdam  
LED lifespan: 50000h L80 B20

## Compliance

CEI EN 60598-1:2021 + A11:2023, CEI EN 60598-2-1:2022

## Standards

Photobiological risk: RISK GROUP 0 Certified fixture in EXEMPT GROUP, in accordance with CEI EN 62471:2010-01, IEC TR 62778:2014.  
CAM edilizia: The product complies with the requirements for public buildings, ministerial decree of 23rd June 2022 n.256.

[HALOS B ACOUSTIC: View more product info](#)


[HALOS B: View more product info](#)




MOUNTING ACCESSORIES

|                                                                                   |                                        |           |
|-----------------------------------------------------------------------------------|----------------------------------------|-----------|
|  | HALOS: ROSONE ALIM. REMOTA BIA         | 105157.01 |
|  | HALOS: ROSONE ALIM. REMOTA CAPP        | 105157.21 |
|  | HALOS: ROSONE DOPPIA ALIM. REMOTA BIA  | 105158.01 |
|  | HALOS: ROSONE DOPPIA ALIM. REMOTA CAPP | 105158.21 |

ELECTRICAL ACCESSORIES

|                                                                                     |                                     |           |
|-------------------------------------------------------------------------------------|-------------------------------------|-----------|
|    | HALOS-B: COPPIA ALIM. ON/OFF REM.   | 107125.99 |
|  | HALOS-B: ROSONE ALIM. ON/OFF BI     | 107127.01 |
|  | HALOS-B: ROSONE ALIM. ON/OFF CAPP   | 107127.21 |
|  | HALOS-B: ROSONE-N ALIM. ON/OFF BIA  | 107129.01 |
|  | HALOS-B: ROSONE-N ALIM. ON/OFF CAPP | 107129.21 |

DIMMABLE ACCESSORIES

|                                                                                    |                                      |           |
|------------------------------------------------------------------------------------|--------------------------------------|-----------|
|  | HALOS-B: COPPIA ALIM. DALI/PUSH REM. | 107126.99 |
|------------------------------------------------------------------------------------|--------------------------------------|-----------|

HALOS B ACOUSTIC | HALOS B  
107120.21



HALOS-B: ROSONE ALIM. DALI/PUSH BI **107128.01**



HALOS-B: ROSONE ALIM. DALI/PUSH CAPP **107128.21**



HALOS-B: ROSONE-N ALIM. D/PUSH BI **107130.01**



HALOS-B: ROSONE-N ALIM. D/PUSH CAPP **107130.21**

