



Features

Use: Indoor
Type of installation: SUSPENDED
Emission: DIRECT
Optics: SPOT
Colour: SATIN BRASS
H: 500mm
ø: 40mm
Made in: EU
Warranty: 5 years


Tech data

Insulation class: I
Supply voltage: 220-230V 50/60 Hz

Source

Socket: GU10 mini Ø35mm (lamp not included)
Source power: MAX 10W LED

[View more product info](#)



SCREENS



DIFFUSORE D.40 OPALE X SPOT BI/NE/LG/DG

112901.99



DIFFUSORE D.40 OPALE X SPOT OS

112902.99

MOUNTING ACCESSORIES



ROSONE PLAFONE D. 55 BIANCO

112905.01



ROSONE PLAFONE D. 55 NERO

112905.02



ROSONE PLAFONE D. 55 LIGHT GREY

112905.23



ROSONE PLAFONE D. 55 DARK GREY

112905.24



ROSONE INCASSO DIAM. 40 BIANCO

112906.01



ROSONE INCASSO DIAM. 40 NERO

112906.02



ROSONE INCASSO DIAM. 40 LIGHT GREY

112906.23



ROSONE INCASSO DIAM. 40 DARK GREY

112906.24



ROSONE LINEARE 3 X L=620 BIANCO

112907.01

	ROSONE LINEARE 3 X L=620 NERO	112907.02
	ROSONE LINEARE 3 X L=620 LIGHT GREY	112907.23
	ROSONE LINEARE 3 X L=620 DARK GREY	112907.24
	ROSONE CIRCOLARE 3 X D. 200 BIANCO	112908.01
	ROSONE CIRCOLARE 3 X D. 200 NERO	112908.02
	ROSONE CIRCOLARE 3 X D. 200 LIGHT GREY	112908.23
	ROSONE CIRCOLARE 3 X D. 200 DARK GREY	112908.24