



Features

Use: Indoor

Type of installation: WALL, SUSPENDED, CEILING MOUNTED

Emission: DIRECT

Optics: OPAL

Colour: BLACK

L: 996mm

A: 15mm

H: 20mm

ø: 1200mm


Made in: ITALY

Warranty: 5 years

Tech data

IP: 40

[View more product info](#)





DOMYNOS PS

112207.02


SCREENS

	DOMYNOS: DIFFUSORE OPALE L.6000MM	110825.99
--	-----------------------------------	-----------

COMPLETION ACCESSORIES



	DOMYNOS PS: TESTATA TERMINALE NE	112224.02
	DOMYNOS PS: CONNESS. INIZIALE PLAF. NE	112225.02
	DOMYNOS PS: CONNESS. CENTRALE PLAF. NE	112226.02
	DOMYNOS PS: CONNESS. INIZIALE SOSP. NE	112227.02
	DOMYNOS PS: CONNESS. CENTRALE SOSP. NE	112228.02

MOUNTING ACCESSORIES

	DOMYNOS PS: CAVO DI SOSPENSIONE	112229.99
	ROSTONE 2X1 TND 1500 ALIM REMOTA NE	109003.02
	ROSTONE 2X1 QDR 1500 ALIM REMOTA NE	109004.02



ELECTRICAL ACCESSORIES

	DOMYNOS PS: ROSONE SOSP. 100W-48V NE	112230.02
	DOMYNOS PS: ROSONE SOSP DALI 150W-48V NE	112232.02
	ALIMENTATORE 48V 320W IP65	101313.99
	ALIMENTATORE 48V 100W IP65	101314.99
	ALIMENTATORE 48V 150W IP65	101337.99

DIMMABLE ACCESSORIES

	INTERF.DIMM.12-48V DALI/1-10V/0-10V/PUSH	105914.99
	INTERF.DIMM.12-48V LC	105923.99