




Features

Use: Indoor
Type of installation: WALL, SUSPENDED, CEILING MOUNTED
Emission: DIRECT
Optics: OPAL
Colour: CAFFE
L: 996mm
A: 15mm
H: 20mm
ø: 1200mm
Made in: ITALY
Warranty: 5 years

Tech data

IP: 40

[View more product info](#)






DOMYNOS PS

112207.20


SCREENS

	DOMYNOS: DIFFUSORE OPALE L.6000MM	110825.99
--	-----------------------------------	-----------

COMPLETION ACCESSORIES

	DOMYNOS PS: TESTATA TERMINALE CAF	112224.20
	DOMYNOS PS: CONNESS. INIZIALE PLAF. CAF	112225.20
	DOMYNOS PS: CONNESS. CENTRALE PLAF. CAF	112226.20
	DOMYNOS PS: CONNESS. INIZIALE SOSP. CAF	112227.20
	DOMYNOS PS: CONNESS. CENTRALE SOSP. CAF	112228.20

MOUNTING ACCESSORIES

	DOMYNOS PS: CAVO DI SOSPENSIONE	112229.99
	ROSONE 2X1 TND 1500 ALIM REMOTA CAF	109003.20
	ROSONE 2X1 QDR 1500 ALIM REMOTA CAF	109004.20



DOMYNOS PS

112207.20


novalux
ITALIAN LIGHTING DESIGN SINCE 1948

ELECTRICAL ACCESSORIES



DOMYNOS PS: ROSONE SOSP. 100W-48V CAF

112230.20



DOMYNOS PS: ROSONE SOSP DALI 150W-48V CF

112232.20



ALIMENTATORE 48V 320W IP65

101313.99



ALIMENTATORE 48V 100W IP65

101314.99



ALIMENTATORE 48V 150W IP65

101337.99

DIMMABLE ACCESSORIES



INTERF.DIMM.12-48V DALI/1-10V/0-10V/PUSH

105914.99



INTERF.DIMM.12-48V LC

105923.99



Novalux S.r.l. via Marzabotto, 2 40050 Fano di Argelato (BO) Italy
Tel: +39 051 860558 · Fax +39 051 6647859 · Mail: info@novalux.it · VAT number 00536541204 · novalux.com
Company subject to the management and coordination by SLV GmbH

This technical data sheet is owned by Novalux S.r.l., all rights reserved. Novalux S.r.l. reserves the right to make changes without prior notice.
Last update: 14/11/2024, 18:20:50