

COLLINS SP

111812.23

novalux
ITALIAN LIGHTING DESIGN SINCE 1948



Features


Use: Indoor
Type of installation: SUSPENDED
Emission: DIRECT
Optics: SPOT
Colour: LIGHT GREY
H: 200mm
ø: 40mm
Made in: EU
Warranty: 5 years

Tech data

IP: 20
Insulation class: I
Supply voltage: 220-230V 50/60 Hz
SELV: No

Source

Socket: GU10 mini Ø35mm (lamp not included)
Source power: MAX 10W LED



[COLLINS SP: View more product info](#)



Novalux S.r.l. via Marzabotto, 2 40050 Funo di Argelato (BO) Italy
Tel: +39 051 860558 · Fax +39 051 6647859 · Mail: info@novalux.it · VAT number 00536541204 · novalux.com
Company subject to the management and coordination by SLV GmbH

This technical data sheet is owned by Novalux S.r.l., all rights reserved. Novalux S.r.l. reserves the right to make changes without prior notice.
Last update: 19/5/2025, 12:31:42

SCREENS



DIFFUSORE D.40 OPALE X SPOT BI/NE/LG/DG

112901.99

MOUNTING ACCESSORIES



BRIDGE SYSTEM: ROSONE TONDO 4X ORIZZONTALI D180 BI

112913.01



BRIDGE SYSTEM: ROSONE TONDO 4X ORIZZONTALI D180 NE

112913.02



BRIDGE SYSTEM: ROSONE TONDO 12X ORIZZONTALI D300 BI

112914.01



BRIDGE SYSTEM: ROSONE TONDO 12X ORIZZONTALI D300 NE

112914.02



BRIDGE SYSTEM: ROSONE TONDO 12X VERTICALI D350 BI

112915.01



BRIDGE SYSTEM: ROSONE TONDO 12X VERTICALI D350 NE

112915.02



BRIDGE SYSTEM: ROSONE LINEA. 12X ORIZZONTALI L.780 BIAN

112916.01



BRIDGE SYSTEM: ROSONE LINEA. 12X ORIZZONTALI L.780 NERO

112916.02



BRIDGE SYSTEM: ROSONE LINEA. 12X VERTICALI L.1500 BIAN

112917.01



BRIDGE SYSTEM: ROSONE LINEA. 12X VERTICALI L.1500 NERO

112917.02



BRIDGE SYSTEM: ADAT. ALL-TRACK ELET/MEC ON/OFF C/MORS B

112922.01



BRIDGE SYSTEM: ADAT. ALL-TRACK ELET/MEC ON/OFF C/MORS N

112922.02



BRIDGE SYSTEM: ROSONE PLAFONE D. 55 BIANCO

112905.01



BRIDGE SYSTEM: ROSONE PLAFONE D. 55 NERO

112905.02



BRIDGE SYSTEM: ROSONE PLAFONE D. 55 LIGHT GREY

112905.23



BRIDGE SYSTEM: ROSONE PLAFONE D. 55 DARK GREY

112905.24



BRIDGE SYSTEM: ROSONE INCASSO DIAM. 40 BIANCO

112906.01



BRIDGE SYSTEM: ROSONE INCASSO DIAM. 40 NERO

112906.02



BRIDGE SYSTEM: ROSONE INCASSO DIAM. 40 LIGHT GREY

112906.23



BRIDGE SYSTEM: ROSONE INCASSO DIAM. 40 DARK GREY

112906.24



BRIDGE SYSTEM: ROSONE LINEARE 3 X L=620 BIANCO

112907.01



BRIDGE SYSTEM: ROSONE LINEARE 3 X L=620 NERO

112907.02



BRIDGE SYSTEM: ROSONE LINEARE 3 X L=620 LIGHT GREY

112907.23



BRIDGE SYSTEM: ROSONE LINEARE 3 X L=620 DARK GREY

112907.24



BRIDGE SYSTEM: ROSONE CIRCOLARE 3 X D. 200 BIANCO

112908.01



BRIDGE SYSTEM: ROSONE CIRCOLARE 3 X D. 200 NERO

112908.02



BRIDGE SYSTEM: ROSONE CIRCOLARE 3 X D. 200 LIGHT GREY

112908.23



BRIDGE SYSTEM: ROSONE CIRCOLARE 3 X D. 200 DARK GREY

112908.24



BRIDGE SYSTEM: RACCORDO PASSACAPO SENZA FORO 5PZ BIANCO

112920.01



BRIDGE SYSTEM: RACCORDO PASSACAPO SENZA FORO 5PZ NERO

112920.02



BRIDGE SYSTEM: RACCORDO PASSACAPO CON FORO 5PZ BIANCO


112921.01



BRIDGE SYSTEM: RACCORDO PASSACAPO CON FORO 5PZ NERO

112921.02

LAMPS



LAMP. LED GU10 MINI 3000K 3W 60°

441400003



Novalux S.r.l. via Marzabotto, 2 40050 Funo di Argelato (BO) Italy
Tel: +39 051 860558 · Fax +39 051 6647859 · Mail: info@novalux.it · VAT number 00536541204 · novalux.com
Company subject to the management and coordination by SLV GmbH

This technical data sheet is owned by Novalux S.r.l., all rights reserved. Novalux S.r.l. reserves the right to make changes without prior notice.
Last update: 19/5/2025, 12:31:42