


HALOS

105141.01







Features

Use: Indoor
Type of installation: WALL, SUSPENDED, CEILING MOUNTED
Emission: INTERNAL
Optics: OPAL
Colour: WHITE
Dimming: WITH ACCESSORY
Emergency: NO
L: Ø962mm
A: 40mm
H: 45mm
Made in: ITALY
Warranty: 5 years
Weight: 6.2kg

Tech data

Luminaire input power: 66.1W
Luminaire luminouse flux: 3005lm
IP: 40
Insulation class: III
Supply voltage: MAX 1.8A
IK: 3
SELV: Sì

Source

Light source: LED
Source power: 62W
Source luminous flux: 8456lm
Colour temperature: 2700K
CRI: >90
Colour tolerance: 3 Step MacAdam
LED lifespan: 50000h L90 B10

Compliance

CEI EN 60598-1:2021 + A11:2023, CEI EN 60598-2-1:2022

Standards

Photobiological risk: RISK GROUP 0Certified fixture in EXEMPT GROUP, in accordance with CEI EN 62471:2010-01, IEC TR 62778:2014.
CAM edilizia: The product complies with the requirements for public buildings, ministerial decree of 23rd June 2022 n.256.

HALOS: View more product info

Novalux S.r.l. via Marzabotto, 2 40050 Funo di Argelato (BO) Italy
Tel: +39 051 860558 · Fax +39 051 6647859 · Mail: info@novalux.it · VAT number 00536541204 · novalux.com
Company subject to the management and coordination by SLV Gmbh

This technical data sheet is owned by Novalux S.r.l., all rights reserved. Novalux S.r.l. reserves the right to make changes without prior notice.
Last update: 6/8/2025, 12:59:56

HALOS

105141.01

novalux
ITALIAN LIGHTING DESIGN SINCE 1948

COMPLETION ACCESSORIES

	ARK/HALOS: KIT GIUNZIONE PROFILI BIA	**109809.01**

MOUNTING ACCESSORIES

	CAVO ALIMENTAZIONE L=3000 2X1 BIANCO	**109001.01**
	CAVO ALIMENTAZIONE L=3000 3X1.5 TRASP	**109001.00**
	HALOS: ROSONE DOPPIA ALIM. REMOTA BIA	**105158.01**
	HALOS: KIT 4 CAVI SOSPENSIONE L.3000	**105159.99**
	HALOS: ROSONE ALIM. REMOTA BIA	**105157.01**
	CAVO ALIMENTAZIONE L=3000 2X1 NERO	**109001.02**

ELECTRICAL ACCESSORIES

	HALOS: ROSONE-N DOPPIA ALIM ON/OFF BIA	**105155.01**
	HALOS: ROSONE-N ALIM. ON/OFF BIA	**105151.01**
	HALOS: ROSONE ALIM. ON/OFF BIANCO	**105149.01**

Novalux S.r.l. via Marzabotto, 2 40050 Funo di Argelato (BO) Italy
Tel: +39 051 860558 · Fax +39 051 6647859 · Mail: info@novalux.it · VAT number 00536541204 · novalux.com
Company subject to the management and coordination by SLV Gmbh

This technical data sheet is owned by Novalux S.r.l., all rights reserved. Novalux S.r.l. reserves the right to make changes without prior notice.
Last update: 6/8/2025, 12:59:56

	HALOS: ROSONE DOPPIA ALIM. ON/OFF BIA	**105153.01**
	HALOS: ALIMENTATORE ON/OFF	**105147.99**

DIMMABLE ACCESSORIES

	HALOS: ROSONE-N ALIM. DALI/PUSH BIA	**105152.01**
	HALOS: ROSONE ALIM. DALI/PUSH BIANCO	**105150.01**
	HALOS: ALIMENTATORE DALI/PUSH	**105148.99**
	HALOS: ROSONE-N DOPPIA ALIM D/PUSH BIA	**105156.01**
	HALOS: ROSONE DOPPIA ALIM. DA/PUSH BIA	**105154.01**

This technical data sheet is owned by Novalux S.r.l., all rights reserved. Novalux S.r.l. reserves the right to make changes without prior notice.
Last update: 6/8/2025, 12:59:56