

COLLINS SP

111801.24

novalux
ITALIAN LIGHTING DESIGN SINCE 1948



Features

Use: Indoor
Type of installation: SUSPENDED
Emission: DIRECT
Optics: SPOT
Colour: DARK GREY
H: 200mm
ø: 40mm
Made in: EU
Warranty: 5 years


Tech data

Insulation class: I
Supply voltage: 220-230V 50/60 Hz

Source

Socket: GU10 mini Ø35mm (lamp not included)
Source power: MAX 10W LED

[COLLINS SP: View more product info](#)



Novalux S.r.l. via Marzabotto, 2 40050 Funo di Argelato (BO) Italy
Tel: +39 051 860558 · Fax +39 051 6647859 · Mail: info@novalux.it · VAT number 00536541204 · novalux.com
Company subject to the management and coordination by SLV GmbH

This technical data sheet is owned by Novalux S.r.l., all rights reserved. Novalux S.r.l. reserves the right to make changes without prior notice.
Last update: 6/8/2025, 12:47:25

SCREENS



DIFFUSORE D.40 OPALE X SPOT BI/NE/LG/DG

112901.99

MOUNTING ACCESSORIES



ROSONE CIRCOLARE 3 X D. 200 DARK GREY

112908.24



ROSONE LINEA. 12X ORIZZONTALI L.780 BIAN

112916.01



ROSONE CIRCOLARE 3 X D. 200 NERO

112908.02



BRIDGE SYSTEM: RACCORDO PASSACAVO SENZA FORO 5PZ BIANCO

112920.01



ROSONE TONDO 4X ORIZZONTALI D180 BI

112913.01



ROSONE INCASSO DIAM. 40 NERO

112906.02



ROSONE TONDO 4X ORIZZONTALI D180 NE

112913.02















ROSONE LINEARE 3 X L=620 NERO













112907.02



ROSONE CIRCOLARE 3 X D. 200 LIGHT GREY

112908.23

	ROSONE INCASSO DIAM. 40 BIANCO	112906.01
	BRIDGE SYSTEM: ADAT. ALL-TRACK ELET/MEC ON/OFF C/MORS B	112922.01
	ROSONE LINEA. 12X VERTICALI L.1500 BIAN	112917.01
	ROSONE INCASSO DIAM. 40 DARK GREY	112906.24
	ROSONE TONDO 12X VERTICALI D350 BI	112915.01
	ROSONE LINEA. 12X ORIZZONTALI L.780 NERO	112916.02
	ROSONE TONDO 12X VERTICALI D350 NE	112915.02
	ROSONE CIRCOLARE 3 X D. 200 BIANCO	112908.01
	BRIDGE SYSTEM: RACCORDO PASSACAPO CON FORO 5PZ NERO	112921.02
	ROSONE LINEARE 3 X L=620 DARK GREY	112907.24
	BRIDGE SYSTEM: ADAT. ALL-TRACK ELET/MEC ON/OFF C/MORS N	112922.02
	BRIDGE SYSTEM: RACCORDO PASSACAPO CON FORO 5PZ BIANCO	112921.01

	ROSONE TONDO 12X ORIZZONTALI D300 NE	112914.02
	ROSONE INCASSO DIAM. 40 LIGHT GREY	112906.23
	ROSONE TONDO 12X ORIZZONTALI D300 BI	112914.01
	BRIDGE SYSTEM: RACCORDO PASSACAPO SENZA FORO 5PZ NERO	112920.02
	ROSONE PLAFONE D. 55 NERO	112905.02
	ROSONE PLAFONE D. 55 LIGHT GREY	112905.23
	ROSONE LINEARE 3 X L=620 LIGHT GREY	112907.23
	ROSONE PLAFONE D. 55 BIANCO	112905.01
	ROSONE LINEA. 12X VERTICALI L.1500 NERO	112917.02
	ROSONE PLAFONE D. 55 DARK GREY	112905.24
	ROSONE LINEARE 3 X L=620 BIANCO	112907.01
LAMPS		
	LAMP. LED GU10 MINI 3000K 3W 60°	441400003