

# COLLINS SP

111802.16

**novalux**  
ITALIAN LIGHTING DESIGN SINCE 1948



## Features

Use: Indoor  
Type of installation: SUSPENDED  
Emission: DIRECT  
Optics: SPOT  
Colour: SATIN BRASS  
H: 500mm  
ø: 40mm  
Made in: EU  
Warranty: 5 years


## Tech data

Insulation class: I  
Supply voltage: 220-230V 50/60 Hz

## Source

Socket: GU10 mini Ø35mm (lamp not included)  
Source power: MAX 10W LED

[COLLINS SP: View more product info](#)



Novalux S.r.l. via Marzabotto, 2 40050 Funo di Argelato (BO) Italy  
Tel: +39 051 860558 · Fax +39 051 6647859 · Mail: info@novalux.it · VAT number 00536541204 · novalux.com  
Company subject to the management and coordination by SLV GmbH

This technical data sheet is owned by Novalux S.r.l., all rights reserved. Novalux S.r.l. reserves the right to make changes without prior notice.  
Last update: 6/8/2025, 12:47:25

## SCREENS

---



DIFFUSORE D.40 OPALE X SPOT OS

**112902.99**

## MOUNTING ACCESSORIES

---



ROSONE CIRCOLARE 3 X D. 200 DARK GREY

**112908.24**



ROSONE LINEA. 12X ORIZZONTALI L.780 BIAN

**112916.01**



ROSONE CIRCOLARE 3 X D. 200 NERO

**112908.02**



BRIDGE SYSTEM: RACCORDO PASSACAVO SENZA FORO 5PZ BIANCO

**112920.01**



ROSONE TONDO 4X ORIZZONTALI D180 BI

**112913.01**



ROSONE INCASSO DIAM. 40 NERO

**112906.02**



ROSONE TONDO 4X ORIZZONTALI D180 NE

**112913.02**














ROSONE LINEARE 3 X L=620 NERO













**112907.02**



ROSONE CIRCOLARE 3 X D. 200 LIGHT GREY

**112908.23**

	ROSONE INCASSO DIAM. 40 BIANCO	<b>112906.01</b>
	BRIDGE SYSTEM: ADAT. ALL-TRACK ELET/MEC ON/OFF C/MORS B	<b>112922.01</b>
	ROSONE LINEA. 12X VERTICALI L.1500 BIAN	<b>112917.01</b>
	ROSONE INCASSO DIAM. 40 DARK GREY	<b>112906.24</b>
	ROSONE TONDO 12X VERTICALI D350 BI	<b>112915.01</b>
	ROSONE LINEA. 12X ORIZZONTALI L.780 NERO	<b>112916.02</b>
	ROSONE TONDO 12X VERTICALI D350 NE	<b>112915.02</b>
	ROSONE CIRCOLARE 3 X D. 200 BIANCO	<b>112908.01</b>
	BRIDGE SYSTEM: RACCORDO PASSACAPO CON FORO 5PZ NERO	<b>112921.02</b>
	ROSONE LINEARE 3 X L=620 DARK GREY	<b>112907.24</b>
	BRIDGE SYSTEM: ADAT. ALL-TRACK ELET/MEC ON/OFF C/MORS N	<b>112922.02</b>
	BRIDGE SYSTEM: RACCORDO PASSACAPO CON FORO 5PZ BIANCO	<b>112921.01</b>

	ROSONE TONDO 12X ORIZZONTALI D300 NE	<b>112914.02</b>
	ROSONE INCASSO DIAM. 40 LIGHT GREY	<b>112906.23</b>
	ROSONE TONDO 12X ORIZZONTALI D300 BI	<b>112914.01</b>
	BRIDGE SYSTEM: RACCORDO PASSACAVO SENZA FORO 5PZ NERO	<b>112920.02</b>
	ROSONE PLAFONE D. 55 NERO	<b>112905.02</b>
	ROSONE PLAFONE D. 55 LIGHT GREY	<b>112905.23</b>
	ROSONE LINEARE 3 X L=620 LIGHT GREY	<b>112907.23</b>
	ROSONE PLAFONE D. 55 BIANCO	<b>112905.01</b>
	ROSONE LINEA. 12X VERTICALI L.1500 NERO	<b>112917.02</b>
	ROSONE PLAFONE D. 55 DARK GREY	<b>112905.24</b>
	ROSONE LINEARE 3 X L=620 BIANCO	<b>112907.01</b>
<b>LAMPS</b>		
	LAMP. LED GU10 MINI 3000K 3W 60°	<b>441400003</b>